

## **DEVELOPER PART A KITECN2-1L**

Issued on 06/14/2011 - Rel. # 1 on 02/19/2020

#1/7

In conformity to Regulation (EU) 2015/830

# SECTION1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product code: DEVELOPER PART A KITECN2-1L Trades code: ECN DEV PART A KITECN2-1L

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Photographic Process

Sectors of use:

Professional use[SU22]

Product category:

Photochemicals

Process categories:

Mixing or blending in batch processes for formulation of preparations\* and ar- ticles (multistage and/or significant con-

tact)[PROC5]

Uses advised against

Do not use for purposes other than those listed

## 1.3. Details of the supplier of the safety data sheet

BELLINI FOTO S.r.l.

VIA FERRIERA, 68 - 06089 - TORGIANO - PERUGIA

**ITALY** 

Tel +39 075 985 174 Fax +39 075 985 288

E-mail:info@bellinifoto.it - Web: www.bellinifoto.it E-mail technical assistance: enrico.pompili@bellinifoto.it

Produced by

BELLINI FOTO S.r.L.

Via Ferriera, 68 06089 TORGIANO - PG - ITALY Tel. +39 075 985174

# 1.4. Emergency telephone number

Bellini Foto S.r.l. (PG) - Tel . +39 075 985 174

#### SECTION2. Hazards identification

## 2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS07

Hazard Class and Category Code(s):

Eye Irrit. 2

Hazard statement Code(s):

H319 - Causes serious eye irritation.

If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

#### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

GHS07 - Warning

Hazard statement Code(s):

H319 - Causes serious eye irritation.

Supplemental Hazard statement Code(s):

not applicable

Precautionary statements:

Prevention

P280 - Wear protective gloves protective clothing eye protection face protection.





## **DEVELOPER PART A KITECN2-1L**

Issued on 06/14/2011 - Rel. # 1 on 02/19/2020

#2/7

In conformity to Regulation (EU) 2015/830

#### Response

P337+P313 - If eye irritation persists: Get medical advice attention.

#### 2.3. Other hazards

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII No information on other hazards

# SECTION3. Composition/information on ingredients

#### 3.1 Substances

Irrilevant

#### 3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACh
sodium carbonate	>= 10 < 20%	Eye Irrit. 2, H319	011-005-00-2	497-19-8	207-838-8	

#### SECTION4. First aid measures

#### 4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product).:

Take contaminated clothing Immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

Direct contact with eyes (of the pure product).:

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice attention.

# **SECTION5.** Firefighting measures

#### 5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

# 5.2. Special hazards arising from the substance or mixture

No data available.



#### **DEVELOPER PART A KITECN2-1L**

Issued on 06/14/2011 - Rel. # 1 on 02/19/2020

#3/7

In conformity to Regulation (EU) 2015/830

#### 5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

#### SECTION6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

#### 6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.

Discharge the remains in compliance with the regulations

#### 6.3. Methods and material for containment and cleaning up

#### 6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

#### 6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

## SECTION7. Handling and storage

# 7.1. Precautions for safe handling

Avoid contact and inhalation of vapors

Wear protective gloves protective clothing eye protection face protection.

At work do not eat or drink.

See also paragraph 8 below.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool place, away from sources of heat and 'direct exposure of sunlight.

#### 7.3. Specific end use(s)

Professional use:

Photographic and cinematographic treatment

## SECTION8. Exposure controls/personal protection



## **DEVELOPER PART A KITECN2-1L**

Issued on 06/14/2011 - Rel. # 1 on 02/19/2020

#4/7

In conformity to Regulation (EU) 2015/830

## 8.1. Control parameters

Related to contained substances: sodium carbonate:

Anyone.

# 8.2. Exposure controls









Appropriate engineering controls:

Professional use:

Not established

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

- (b) Skin protection
- (i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Othe

When handling the pure product wear full protective skin clothing.

- (c) Respiratory protection
- Not needed for normal use.
- (d) Thermal hazards
- No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

# SECTION9. Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method	
Appearance	Liquid		
Odour	undefined		
Odour threshold	Irrilevant		
рН	10.60 ± 0.05 a 25 °C	pH METRO	
Melting point/freezing point	Irrilevant		
Initial boiling point and boiling range	> 100 °C		
Flash point	non flammable	ASTM D92	
Evaporation rate	Irrilevant		
Flammability (solid, gas)	Irrilevant		
Upper/lower flammability or explosive limits	Irrilevant		
Vapour pressure	Irrilevant		
Vapour density	Irrilevant		
Relative density	1.140 ± 0.005 a 25 °C		
Solubility	in water		
Water solubility	Complete		
Partition coefficient: n-octanol/water	Irrilevant		
Auto-ignition temperature	Irrilevant		
Decomposition temperature	Irrilevant		
Viscosity	Irrilevant		
Explosive properties	not explosive		
Oxidising properties	non-oxidizing		



## **DEVELOPER PART A KITECN2-1L**

Issued on 06/14/2011 - Rel. # 1 on 02/19/2020

#5/7

In conformity to Regulation (EU) 2015/830

Physical and chemical properties	Value	Determination method
----------------------------------	-------	----------------------

#### 9.2. Other information

No data available.

# SECTION10. Stability and reactivity

#### 10.1. Reactivity

Related to contained substances:

sodium carbonate:

Stable under normal conditions of use.

#### 10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

#### 10.3. Possibility of hazardous reactions

There are no hazardous reactions

#### 10.4. Conditions to avoid

Related to contained substances:

sodium carbonate:

Humidity

#### 10.5. Incompatible materials

It can generate inflammable gases to contact with elementary metals, nitrides, inorganic sulfide, strong reducing agents.

It can generate toxic gases to contact with inorganic solfide, strong reducing agents.

#### 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

# **SECTION11. Toxicological information**

#### 11.1. Information on toxicological effects

ATE(mix) oral = 300.000,0 mg/kg

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

- (a) acute toxicity: based on available data, the classification criteria are not met.
- (b) skin corrosion/irritationbased on available data, the classification criteria are not met.
- (c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.
  - (d) respiratory or skin sensitization: based on available data, the classification criteria are not met.
  - (e) germ cell mutagenicity: based on available data, the classification criteria are not met.
  - (f) carcinogenicity: based on available data, the classification criteria are not met.
  - (g) reproductive toxicity: based on available data, the classification criteria are not met.
- (h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.
- (i) specific target organ toxicity (STOT) repeated exposurebased on available data, the classification criteria are not met.
  - (j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances:

sodium carbonate:

INHALATION RISK: a harmful concentration of areodisperse particles can be reached quickly especially if powdered.



## **DEVELOPER PART A KITECN2-1L**

Issued on 06/14/2011 - Rel. # 1 on 02/19/2020

#6/7

In conformity to Regulation (EU) 2015/830

Effects of short-term EXPOSURE: the substance is irritating to eyes, skin and respiratory tract.

Effects of long-term or REPEATED EXPOSURE: the substance may have effects on the respiratory tract, causing perforation of the nasal septum. Repeated or prolonged contact with skin may cause dermatitis.

Acute hazards/symptoms inhalation: cough. Sore throat.

Skin: Redness.

Ingestion: burning sensation in the throat and chest. Abdominal pain.

LD50 (rat) Oral (mg/kg body weight) = 2000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 117

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 5200

# **SECTION12. Ecological information**

#### 12.1. Toxicity

Related to contained substances:

sodium carbonate:

Fish, Lepomis macrochirus, LC 50, 96 H, 300 mg/l

Crustaceans, Daphnia magna, EC 50, 48 H, 265 mg/l 50,

algae, Nitszcheria linearis, EC 5 Days, 242 mg/l

Use according to good working practices to avoid pollution into the environment.

## 12.2. Persistence and degradability

Related to contained substances:

sodium carbonate:

Water, hydrolysis, degradation: calcium carbonate (pH > 10)/bicarbonate (pH 6-10)/carbonico/carbon dioxide acid (pH < 6) Ground score: hydrolysis as a function of pH

## 12.3. Bioaccumulative potential

Related to contained substances:

sodium carbonate:

Result: not applicable (product ionizable inorganic)

# 12.4. Mobility in soil

Related to contained substances:

sodium carbonate:

Insignificant adsorption

# 12.5. Results of PBT and vPvB assessment

No PBT/vPvB ingredient is present

#### 12.6. Other adverse effects

No adverse effects

#### SECTION13. Disposal considerations

## 13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Operate according to local or national regulations

# **SECTION14. Transport information**

#### 14.1. UN number

Not included in the scope of application regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

## 14.2. UN proper shipping name

None



## **DEVELOPER PART A KITECN2-1L**

Issued on 06/14/2011 - Rel. # 1 on 02/19/2020

#7/7

In conformity to Regulation (EU) 2015/830

## 14.3. Transport hazard class(es)

None

## 14.4. Packing group

None

#### 14.5. Environmental hazards

None

#### 14.6. Special precautions for user

No data available.

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

It is not intended to carry bulk

# **SECTION15. Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Legislative Decree. 02/03/1997 n. 52 (Classification, packaging and labeling of dangerous substances). Legislative Decree 14/03/2003 n. 65 (Classification, packaging and labeling of dangerous substances). Legislative Decree. 02/02/2002 n. 25 (Risks related to chemical agents at work). D.M. 26/02/2004 Work (Exposure Limits Professional); D.M. 03/04/2007 (Implementation of Directive n. 2006/8 / EC). Regulation (EC) No. 1907/2006 (REACH), Regulation (EC) No. 1272/2008 (CLP), Regulation (EC) 790 / 2009.D.Lgs. September 21, 2005 n. 238 (Seveso Ter).

## 15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

## **SECTION16. Other information**

#### 16.1. Other information

Description of the hazard statements exposed to point 3 H319 = Causes serious eye irritation.

Classification based on data of all mixture components

Main normative references:

Directive 1999/45/EC

Directive 2001/60/EC

Regulation 1272/2008/EC

Regulation 2010/453/EC

Regolamento529/2012 and subsequent updates

This data sheet cancels and replaces any previous edition.