Safety Data Sheet SPUR Dokuspeed SL-N according to EC No. 1907/2006 _____

Day of issue: 27.02.19

page 1/11

1. Identification of the substance/preparation and of the company

- Identification of the product:

Trade name: SPUR Dokuspeed SL-N, comprising Part A and Part B

- Use of the substance/preparation: photographic developing agent, particularly for pictorial development of black and white films.

- Manufacturer/distributor identification

Manufacturer: **SPUR** Photochemie Dr. Heidrich und Schain GbR Schmiedestr. 31, 52379 Langerwehe Phone: 0049 (0)2423-6198 Fax: 0049 (0)2423-406980 Email: schain@spur-photo.com

SPUR Photochemie Distributor: Dr. Heidrich und Schain GbR Schmiedestr. 31, 52379 Langerwehe Phone: 0049 (0)2423-6198 Fax: 0049 (0)2423-406980 Email: schain@spur-photo.com

- Further information: 0049 (0)2423-6198

- Competent person, responsible for Safety Data Sheet (email): schain@spur-photo.com (management)

- Emergency telephone (Germany): 0049 (0)30-19240 (Berlin poison control centre for symptoms of intoxication and embryonal toxicology)

2. Hazards identification

- Classification of the substance or mixture
- Classification according to regulation (EC) No. 1272/2008

All parts: Acute Tox. 4 H 302 Harmful if swallowed Skin Irrit. 2 H 315 Causes skin irritation Skin sens. 1 H 317 May cause an allergic skin reaction Eye Irrit. 2 H 319 Causes serious eye irritation Aquatic Chronic 3 H 412 Harmful to aquatic life with long lasting effects Safety Data Sheet

Day of issue: 27.02.19

page 2/11

- Labelling elements
- Labelling according to regulation (EC) No. 1272/2008

The mixture is classified and labelled according to the CLP Regulation

All parts:

- Hazard pictogram



- Signal word: Warning
- Hazard statements

H 302 Harmful if swallowed H 315 Causes skin irritation H 317 May cause an allergic skin reaction H 319 Causes serious eye irritation H 412 Harmful to aquatic life with long lasting effects

- Precautionary statements

P 273 Avoid release to the environment P 301 + P 312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell P 302 + P 352 IF ON SKIN: Wash with plenty of soap and water P 305 + P 351 + P 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P 337 + P 313 If eye irritation persists: Get medical advice/attention

3. Composition/Information on ingredients

- Chemical characterisation: aqueous solution (all parts)

- Hazardous ingredients:

Part A:

Diethylene glycol: EINECS: 203-872-2; CAS-RN: 111-46-6 Percentage: < 8 % Classification according to Regulation (EC) No. 1272/2008: STOT RE 2 H 373; Acute Tox. 4 H 302

_____ Day of issue: 27.02.19

page 3/11

Trilon C: EINECS: 205-391-3; CAS-RN: 140-01-2 Percentage: < 0.9 % Classification according to Regulation (EC) No. 1272/2008: Acute Tox. (inhalative) 4 H 332; Repr. Lact. 2 H 361

Hydroquinone sulfonic acid (potassium salt): EINECS: 244-584-7; CAS-RN: 21799-87-1 Percentage: < 3 % Classification according to Regulation (EC) No. 1272/2008: Eye Irrit. 2 H 319; Skin Sens. 1 H 317

Hydroquinone (1.4-Dihydroxybenzene): EINECS: 204-617-8; CAS-RN: 123-31-9 Percentage: < 1 % Classification according to Regulation (EC) No. 1272/2008: Carc.2 H 351; Muta 2 H 341; Acute Tox. 4 H 302: Eye Dam. 1 H 318; Skin Sens. 1 H 317; Aquatic Acute. 1 H 400

4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone: EINECS: 235-920-3; CAS-RN: 13047-13-7 Percentage: < 0.3 % Classification according to Regulation (EC) No. 1272/2008: Acute Tox. 4 H 302; Skin Sens. 1 H 317; Aquatic Chronic 2 H 411

1-Phenyl-3-pyrazolidinone: EINECS: 202-155-1, CAS-RN. 92-43-3 Percentage: < 0.25 % Classification according to Regulation (EC) No. 1272/2008: Acute Tox. 4 H 302; Aquatic Chronic 2 H 411

Sodium Tetraborate Decahydrate: EINECS: 215-540-4; CAS-RN: 1303-96-4 Percentage: < 1 % Classification according to Regulation (EC) No. 1272/2008: Repr. 1B H 360; Eye Irrit. 2 H 319

Potassium Thiocyanate: EINECS: 206-370-1; CAS-Nr. 333-20-0 Percentage: < 0.5 % Classification according to Regulation (EC) No. 1272/2008: Acute Tox. 4 H 302; H 312; H 332; Aquatic Chronic 3 H 412

Part B:

Sodium Hydroxide: EINECS 215-185-5; CAS RN: 1310-73-2 Percentage: < 0.8 % Classification according to Regulation (EC) No. 1272/2008: Met. Corr. 1 H 290; Skin corr. 1A H 314

Trilon C: EINECS: 205-391-3; CAS RN: 140-01-2 Percentage: < 1.5 % Classification according to Regulation (EC) No. 1272/2008: Acute Tox. (inhalative) 4 H 332; Repr. Lact. 2 H 361

Day of issue: 27.02.19

page 4/11

Potassium Thiocyanate: EINECS: 206-370-1; CAS RN: 333-20-0 Percentage: < 1.5 % Classification according to Regulation (EC) No. 1272/2008: Acute Tox. 4 H 302; H 312; H 332; Aquatic Chronic 3 H 412

Potassium carbonate: EINECS: 209-529-3; CAS RN: 584-08-7 Percentage: < 7 %Classification according to Regulation (EC) No. 1272/2008: Skin Irrit. 2 H 315; Eye Irrit. 2 H 319; STOT SE 3 H 335

Sodium Tetraborate Decahydrate: EINECS: 215-540-4; CAS-RN: 1303-96-4 Percentage: < 0.8 % Classification according to Regulation (EC) No. 1272/2008: Repr. 1B H 360; Eye Irrit. 2 H 319

- Additional reference: The wording of the hazard warnings can be looked up under section 16.

4. First-aid measures

- General information: Remove items of clothing contaminated by the product immediately.

- Inhalation: Move affected person to fresh air and keep at rest. In case of persistent complaints seek medical advice.

- Skin contact: Wash off thoroughly with plenty of water.

- Eye contact: Remove contact lenses, open eyelids, flush thoroughly with water and consult a doctor.

- Ingestion: If swallowed, rinse mouth and drink plenty of water. Do not induce vomiting. Seek medical advice.

- Special information for your doctor: None.

5. Fire-fighting-measures

- Suitable extinguishing media: CO2, extinguishing powder, water spray. Fight larger fires with water spray jets or alcohol-resistant foam.

- Non suitable extinguishing media: None

- Specific Hazards: Hazardous combustion products: sulphur dioxide (Part A)

- Protective equipment: Do not inhale explosion and combustion gases. Wear breathing apparatus and protective clothing.

- Particular fire and explosion hazards: None

6. Accidental release measures

- Personal precautions: Provide for sufficient ventilation.

- Environmental precautions: Do not empty into drains; prevent the product from contaminating surface or ground water. If waters or sewage are contaminated, report to the competent authorities. Dilute with plenty of water.

Day of issue: 27.02.19

- Methods for cleaning up: Absorb with a liquid-binding agent (sand, mountain flour, sSurebinder, universal binding agent, sawdust). Sweep up and store in suitable container, dispose of contaminated material as waste labelled according to waste law in force.

- Additional information: Flush residues with water.

7. Handling and storage

- Handling:

- Safe handling: Provide for proper ventilation in work area. Avoid long-term and repeated skin contact; no special measures required if used properly.

- Fire and explosion control: No special measures required.

- Storage:

- Storage facilities and containers: No specific requirements.
- Storage with other substances: Do not store with acids, strong oxidants, and food.

- Further information on storage conditions:

- Store in well-sealed containers cool and dry. Store away from heat and direct sunlight. Do not expose to light. Keep locked up and out of reach of children. Recommended storage temperature: 15° C.

- Storage class:

- Classification according to Ordinance on Industrial Safety and Health: n/a

8. Exposure controls/personal protection

- Additional information for system design: None

- Components with workplace-specific control parameters (Part A):			
111-46-6 Diethylene glycol			
MAC (Germany)	44 mg/m^3 ; 10 ml/m^3		
	4(I); DFG, Y		
1303-96-4 Sodium Tetraborate Decahydrate			
MAC (Germany)	0,5 mg/m ³ ;		
	2(I); AGS, Y, 10;		

Day of issue: 27.02.19

page 6/11

- Personal protective eq	uipment.	
· · · · · · · · · · · · · · · · · · ·		: Wash hands before breaks and end of work. Do not
inhale gases, vapours,		
Respiratory protection		
	· ·	made from materials impermeable and resistant to the
		rials have to be chosen with due regard to penetration
times, permeation rate		
quality features and m composed of a numbe therefore, needs to be	hay vary from manuer of substances, the tested before use. T ack of testing, no g	glove not only depends on the material, but also on further afacturer to manufacturer. As the product is a preparation e stability of the glove materials is not predictable and, The liquid tightness of the glove has to be tested before it is love material can be recommended for the
Penetration time of the	e glove material: T	he exact breakthrough time can be given by the protective
gloves manufacturer a	and is to be observe	ed.
Glove material b	reakthrough time	layer thickness
Butyl rubber: >		\geq 0,4 mm
Nitrile Rubber: >		≥ 0,38 mm
Neoprene: >	> 240 min	<u>≥</u> 0,65 mm
Eye Protection: Wear	safety goggles.	
Skin/body protection:	Wear protective cl	othing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Preparation	Part A	Part B
- General information		
Form:	liquid	liquid
Colour:	light yellow	white
Odour:	specific	odourless
- Change of state		
Melting point / range	not determined	not determined
Boiling point / range	>100° C	> 100° C
- Flash point	not applicable	not applicable
- Auto-flammability	no ~	no ~
- Explosion hazard	no ~	no ~
- Vapour pressure at 20° C	not specified	not specified
- Density at 20° C	1.17 g/cm ³	1.1 g/cm^3
- Solubility in/miscibility with		
water	complete	complete
-pH-value at 20° C	9.88	11.28
- Solvent content		
Organic solvent:	0.0 %	0.0 %
Water:	78.6 %	87.1 %
VOC (EU):	0.0 %	0.0 %
- Solids content:	21.4 %	12.9 %

Day of issue: 27.02.19

page 7/11

10. Stability and reactivity

- Thermal decomposition/conditions to avoid: No decomposition when used properly.
- Materials to avoid: Strong acids and oxidising agents
- Hazardous reactions: No hazardous reactions known.
- Hazardous decomposition products: None.

11. Toxicological information

Oral:LD50200 mg/kg (rat)13047-13-74-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidoneOral:Oral:Oral:Dermal:Dermal:Dermal:111-46-6Diethylene glycolOral:LD5012565 mg/kg (rat)	- Acute toxicity – Part A			
Oral:LD50 320 mg/kg (rat) Dermal:LD50> 4800 mg/kg (rat) $1303-96-4$ Sodium Tetraborate DecahydrateOral:LD50 2660 mg/kg (rat) Dermal:LD50> $2000 \text{ mg/kg (rabbit)}$ $21799-87-1$ Hydroquinone sulfonic acid (potassium salt)Oral:LD50> $10000 \text{ mg/kg (rat)}$ Oral:LD50> $10000 \text{ mg/kg (rat)}$ Dermal:LD50> 5000 mg/kg (rat) 0ral:LD50> 5000 mg/kg (rat) 92-43-31-Phenyl-3-pyrazolidinoneOral:LD50 200 mg/kg (rat) 13047-13-74-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidoneOral:Oral:Oral:Dermal:Dermal:Dermal:111-46-6Dietmylene glycolOral:LD50 $12565 mg/kg (rat)$	- Classific			
Dermal:LD50> 4800 mg/kg (rat)1303-96-4Sodium Tetraborate DecahydrateOral:LD502660 mg/kg (rat)Dermal:LD50> 2000 mg/kg (rabbit)21799-87-1Hydroquinone sulfonic acid (potassium salt)Oral:LD50> 10000 mg/kg (rat)Dermal:LD50> 5000 mg/kg (rat)Dermal:LD50> 5000 mg/kg (rat)0ral:LD50> 5000 mg/kg (ratbit)92-43-31-Phenyl-3-pyrazolidinoneOral:LD50200 mg/kg (rat)13047-13-74-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidoneOral:Oral:Oral:Dermal:Dermal:Dermal:111-46-6Diethylene glycolOral:LD5012565 mg/kg (rat)	123-31-9	Hydroquii	none	
1303-96-4 Sodium Tetraborate DecahydrateOral:LD502660 mg/kg (rat)Dermal:LD50> 2000 mg/kg (rabbit)21799-87-1Hydroquinone sulfonic acid (potassium salt)Oral:LD50> 10000 mg/kg (rat)Dermal:LD50> 5000 mg/kg (ratbit)92-43-3I-Phenyl-3-pyrazolidinoneOral:LD50200 mg/kg (rat)13047-13-74-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidoneOral:Oral:Oral:Dermal:Dermal:Dermal:Image: 111-46-6Diethylene glycolOral:LD5012565 mg/kg (rat)	Oral:	LD50	320 mg/kg (rat)	
Oral:LD502660 mg/kg (rat)Dermal:LD50> 2000 mg/kg (rabbit)21799-87-1Hydroquinone sulfonic acid (potassium salt)Oral:LD50> 10000 mg/kg (rat)Dermal:LD50> 5000 mg/kg (ratbit)92-43-31-Phenyl-3-pyrazolidinoneOral:LD50200 mg/kg (rat)13047-13-74-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidoneOral:Oral:Oral:Oral:Oral:Oral:Dermal:Dermal:Dermal:Dermal:I11-46-6Diethylene glycolOral:LD50I2565mg/kg (rat)	Dermal:	LD50	> 4800mg/kg (rat)	
Dermal:LD50> 2000 mg/kg (rabbit)21799-87-1Hydroquinone sulfonic acid (potassium salt)Oral:LD50> 10000 mg/kg (rat)Dermal:LD50> 5000 mg/kg (rabbit)92-43-31-Phenyl-3-pyrazolidinoneOral:LD50200 mg/kg (rat)13047-13-74-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidoneOral:Oral:Oral:Dermal:Dermal:Dermal:Dermal:Dermal:Dermal:Dermal:LD5012565 mg/kg (rat)	1303-96-4	4 Sodium '	Tetraborate Decahydrate	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Oral:	LD50		
Oral:LD50> 10000 mg/kg (rat)Dermal:LD50> 5000 mg/kg (rabbit)92-43-31-Phenyl-3-pyrazolidinoneOral:LD50200 mg/kg (rat)13047-13-74-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidoneOral:Oral:Oral:Dermal:Dermal:Dermal:111-46-6Diethylene glycolOral:LD5012565 mg/kg (rat)	Dermal:	LD50	> 2000 mg/kg (rabbit)	
Dermal:LD50> 5000 mg/kg (rabbit) $92-43-3$ 1-Phenyl-3-pyrazolidinoneOral:LD50200 mg/kg (rat) $13047-13-7$ 4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidoneOral:Oral:Oral:Dermal:Dermal:Dermal:111-46-6Diethylene glycolOral:LD5012565 mg/kg (rat)	21799-87	-1 Hydroq	uinone sulfonic acid (potassium salt)	
92-43-31-Phenyl-3-pyrazolidinoneOral:LD50200 mg/kg (rat)13047-13-74-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidoneOral:Oral:Oral:Dermal:Dermal:Dermal:111-46-6Diethylene glycolOral:LD5012565 mg/kg (rat)	Oral:	LD50	> 10000 mg/kg (rat)	
Oral:LD50200 mg/kg (rat)13047-13-74-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidoneOral:Oral:Oral:Dermal:Dermal:Dermal:111-46-6Diethylene glycolOral:LD5012565 mg/kg (rat)	Dermal:	LD50	> 5000 mg/kg (rabbit)	
13047-13-7 4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone Oral: Oral: Oral: Dermal: Dermal: Dermal: Dermal: LD50 12565 mg/kg (rat)	92-43-3 1-Phenyl-3-pyrazolidinone			
Oral:Oral:Oral:Dermal:Dermal:111-46-6Diethylene glycolOral:LD5012565 mg/kg (rat)	Oral:	LD50	200 mg/kg (rat)	
Dermal:Dermal:111-46-6Diethylene glycolOral:LD5012565 mg/kg (rat)	13047-13-7 4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone			
111-46-6 Diethylene glycolOral:LD5012565 mg/kg (rat)	Oral:	Oral:	Oral:	
Oral: LD50 12565 mg/kg (rat)	Dermal:	Dermal:	Dermal:	
	111-46-6 Diethylene glycol			
	Oral:	LD50	12565 mg/kg (rat)	
Oral: LDLo 1000mg/kg (human)	Oral:	LDLo	1000mg/kg (human)	
- 333-20-0 Potassium Thiocyanate				
Oral: LD50 854 mg/kg (rat)	Oral:	LD50 8	254 mg/kg (rat)	

- Primary irritant effect:

- Skin: Irritant effect possible.

- Eye: Irritant effect possible.

- Sensitisation: May cause sensitisation by skin contact.

- Acute toxicity – Part B

i ieute tom	The to to highly That D		
- Classificat	- Classification relevant LD/LC50 values:		
140-01-2 Trilon C			
Oral:	LD50	4550 mg/kg (rat)	
Dermal:	LD50	> 2000 mg/kg (rat)	
Inhalative:	LC50	4 h 1000 – 5000 mg/m ³ (rat)	

Day of issue: 27.02.19

page 8/11

333-20-0 Potassium Thiocyanate			
Oral:	LD50	854 mg/kg (rat)	
1310-73-2	1310-73-2 Sodium Hydroxide		
Oral:	LD50	2000 mg/kg (rat)	
584-08-7 Potassium carbonate			
Oral:	LD50	> 2000 mg/kg (rat)	
1303-96-4 Sodium Tetraborate Decahydrate			
Oral:	LD50	2660 mg/kg (rat)	
Dermal:	LD50	> 2000 mg/kg (rabbit)	

- Primary irritant effect:

- Skin: Irritant effect.

- Eye: Irritant effect.

- Sensitisation: No sensitising effects known.

12. Ecological information

- Ecotoxicity – Part A				
- Aquat	- Aquatic toxicity			
123-31-	-9 Hydroquinone			
EC50	48h: 0.29 mg/l (daphnia magna)			
LC50	96h: 0.044 mg/l (Pimepales promelas)			
13047-	13-7 4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone			
EC50	24h: 7.1 ppm (Daphnia magna)			
LC50	1 – 10 mg/l (fish fathead minnow / Pimephales promelas)			
LC50	35 mg/l (fish ide / Leuciscus idus auratus Bade)			
LC50	96h: 32 ppm (fish rainbow trout / Onchorhynchus mykiss)			
92-43-3 1-Phenyl-3-pyrazolidinone				
LC50	C50 96h: 5 mg/l (Pimepales promelas, fish)			
333-20-0 Potassium thiocyanate				
EC50	48h: 11 mg/l (Daphnia magna)			
LC50	96h: 100 mg/l (Onchorhynchus mykiss)			
D	Domonty Homeful to fish			

- Remark: Harmful to fish

- General Information:

Water hazard class 2 (self-assessment according to VwVwS(German administrative regulation regarding water pollutants)): Hazardous to water.

Do not empty into drains; do not let product contaminate ground water, waters or sewage. Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms.

- Ecoto	- Ecotoxicity – Part B			
- Aquat	- Aquatic toxicity			
1310-7	1310-73-2 Sodium Hydroxide			
EC50	48h: 40.4 mg/l (crustacea)			
LC50	96h: 196 mg/l (fish)			
333-20-0 Potassium Thiocyanate				
EC50	48h: 11 mg/l (Daphnia magna)			
LC50	96h: 100 mg/l (Onchorhynchus mykiss)			

Day of issue: 27.02.19

page 9/11

- Remark: Harmful to fish

- General Information:

Water hazard class 2 (self-assessment according to VwVwS(German administrative regulation regarding water pollutants)): Hazardous to water.

Do not empty into drains; do not let product contaminate ground water, waters or sewage. Harmful to aquatic organisms.

13. Disposal considerations

- Product (All Parts):

- Empfehlung: Recommendation: Do not dispose of the product through household waste. Do not let product contaminate sewage.

- European Waste Directory	
090101 water-based developer and activator solutions	

- Uncleaned packaging:

- Recommendation: Disposal according to official regulations and requirements.
- Recommended cleaning agent: Water, if necessary, with cleaning agent.

14. Transport information

- Land transport ADR/RID and GGVS/GGVE (cross-border/inland):
- ADR/GGVS/E class: No dangerous good, not classified.
- Maritime transport IMDG/GGVSea:
- IMDG/GGVSea-class: No dangerous good, not classified.
- Marine pollutant: No
- Air transport ICAO-TI and IATA-DGR:
- ICAO/IATA class: No dangerous good, not classified.
- UN "Model Regulation" : No dangerous good, not classified.

15. Regulatory information

Designation according to EC guidelines: The mixture is classified and labelled according to the CLP Regulation (EC) No. 1272/2008:

All parts:

- Hazard pictogram



Day of issue: 27.02.19

page 10/11

- Signal word: Warning
- Hazard statements

H 302 Harmful if swallowed H 315 Causes skin irritation H 317 May cause an allergic skin reaction H 319 Causes serious eye irritation H 412 Harmful to aquatic life with long lasting effects

- Precautionary statements

P 273 Avoid release to the environment P 301 + P 312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell P 302 + P 352 IF ON SKIN: Wash with plenty of soap and water P 305 + P 351 + P 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P 337 + P 313 If eye irritation persists: Get medical advice/attention

Special designation of certain preparations:

Part A: Contains hydroquinone < 1 %

Part B: -

National regulations:

Classification according to Ordinance on Industrial Safety and Health: (BetrSichV): -Water hazard class: Part A: water hazard class 2 (self-assessment): hazardous to water Part B: water hazard class 2 (self-assessment): hazardous to water

Technical Instructions on Air Quality (only Part A): Percentage (%) Class Water 78.6 Ι 0.85

16. Other information

The data given in this safety data sheet is based on our present knowledge. It does not guarantee any specific product features and does not establish a contractual legal relationship.

- Relevant H statements:

- May be corrosive to metals H 290
- Harmful if swallowed H 302
- H 312 Harmful in contact with skin
- H 314 Causes severe skin burns and eye damage
- Causes skin irritation H 315
- May cause an allergic skin reaction H 317

Day of issue: 27.02.19

page 11/11

- H 318 Causes serious eye damage
- Causes serious eye irritation H 319
- H 332 Harmful if inhaled
- May cause respiratory irritation H 335
- H 341 Suspected of causing genetic defects
- H 351 Suspected of causing cancer
- May damage fertility or the unborn child H 360
- Suspected of damaging fertility or the unborn child H 361
- May cause damage to organs through prolonged or repeated exposure H 373
- H 400 Very toxic to aquatic life
- Toxic to aquatic life with long lasting effects H 411
- Harmful to aquatic life with long lasting effects H 412
- Responsible for data sheet: management
- Person of contact: Dipl.-Ing. Heribert Schain
- Abbreviations and Acronyms

ADR: Accord europeen sur le transport des merchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Reglement internationale concernent le transport des merchandises dangereuses par chemin de fer (Regulations concerning the international Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent LDLo Lethal dose low EC50 half maximal effective concentration