Safety data sheet




Printing date 03.03.2020

version no: 2

Revision: 28.02.2020

Page 1/8



Printing date 03.03.2020

version no: 2

Revision: 28.02.2020

# Trade name: Magic-Box E-6 developer for 1 slide film First Developer FD

(Contd. of page 1) . Labelling of packages where the contents do not exceed 125 ml . Hazard pictograms GHS07 . Signal word Warning . Hazard statements Void . Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. . 2.3 Other hazards . Results of PBT and vPvB assessment . PBT: Not applicable. . vPvB: Not applicable. **SECTION 3: Composition/information on ingredients** . 3.2 Chemical characterisation: Mixtures . Description: Mixture of substances listed below and with nonhazardous additions. **Dangerous components:** 0 7 111 . . = 100/

CAS: 21799-87-1 EINECS: 244-584-7	Potassium 2,5-dihydroxybenzenesulphonate         Image: Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	5-10%
CAS: 584-08-7 EINECS: 209-529-3 Reg.nr.: 01-2119532646-36	potassium carbonate Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	5-10%
CAS: 111-46-6 EINECS: 203-872-2 Index number: 603-140-00-6	diethylene glycol	5-10%
CAS: 7758-02-3 EINECS: 231-830-3 Reg.nr.: 01-2119962195-33	potassium bromide	1-5%
CAS: 13047-13-7 EINECS: 235-920-3	4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one (HMP) ♦ Aquatic Chronic 2, H411; ♦ Acute Tox. 4, H302; Skin Sens. 1, H317	<1%

. Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

#### . 4.1 Description of first aid measures

. General information: Immediately remove any clothing/shoes soiled by the product.

. After skin contact: Immediately rinse with water.

. After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

. After swallowing: If symptoms persist consult doctor.

#### . 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

. 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

FN

Printing date 03.03.2020

version no: 2

Revision: 28.02.2020

#### Trade name: Magic-Box E-6 developer for 1 slide film First Developer FD

(Contd. of page 2)

#### **SECTION 5: Firefighting measures**

#### . 5.1 Extinguishing media

- . Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- . 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Sulphur dioxide (SO2)

. 5.3 Advice for firefighters

. Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

. 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

. 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

. 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

. 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

. Information about fire - and explosion protection: No special measures required.

. 7.2 Conditions for safe storage, including any incompatibilities

. Storage:

. Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

- . Information about storage in one common storage facility:
- Store away from foodstuffs.
- Store away from oxidising agents.
- Further information about storage conditions:
- Protect from heat and direct sunlight.
- Protect from exposure to the light.

Store under lock and key and out of the reach of children.

Recommended storage temperature: 5-30°C

. 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

. Additional information about design of technical facilities: No further data; see item 7.

. 8.1 Control parameters

. Ingredients with limit values that require monitoring at the workplace:

111-46-6 diethylene glycol (5-10%)

WEL Long-term value: 101 mg/m3, 23 ppm

DNELs

#### 111-46-6 diethylene glycol

Dermal Long-term - systemic - effects

43 mg/kg bw/day (Worker (Arbeiter))

Long-term - systemic effects (dynamic) 21 mg/kg bw/day (general population- Verbraucher)

(Contd. on page 4)

EN

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2020

version no: 2

Revision: 28.02.2020

# Trade name: Magic-Box E-6 developer for 1 slide film First Developer FD

Inholoti		(Contd. of page 3
maidulV	e Long-term - local - effects	60 mg/m <sup>3</sup> (Worker (Arbeiter))
	Long-term - systemic effects	12 mg/m <sup>3</sup> (Consumer (Verbraucher))
	Long-term- systemics effects	44 mg/m <sup>3</sup> (Worker (Arbeiter))
7758-02-	3 potassium bromide	
Oral	Long-term - systemic effects	0.475 mg/kg bw/day (-)
Dermal	Akute /short-term exposure - local e	ffects mg/kg bw/day (no hazard identified)
	Long-term - systemic - effects	95 mg/kg bw/day (-)
	Long-term - local - effects, worker	mg/kg bw/Day (no hazard identified)
	Long-term - systemic effects	95 mg/kg bw/day (-)
Inhalativ	e Akute /short-term exposure - local e	effects mg/m <sup>3</sup> (no hazard identified)
	Akute-lokale Effekte	mg/m <sup>3</sup> (no hazard identified)
	Long-term - systemic effects	1.66 mg/m <sup>3</sup> (-)
	Long-term - local effects	mg/m <sup>3</sup> (no hazard identified)
	Long-term - systemic-effects	4.75 mg/m <sup>3</sup> (-)
PNECs		- · · ·
111-46-6	diethylene glycol	
Aquatic o	compartment - freshwater	10 mg/l (-)
Aquatic of	compartment - marine water	1 mg/l (-)
Aquatic of	compartment -water, intermittent relea	ses $10 \text{ mg/l}(-)$
Aquatic of	compartment -sediment in freshwater	20.9 mg/kg sed dw (-)
Terrestria	al compartment -soil	1.53 mg/kg dw (-)
Sewage t	reatment plant (Abwasserreinigungsat	nlagen) 199.5 mg/l (-)
7758-02-	3 potassium bromide	
Aquatic of	compartment - freshwater	0.52 mg/l (-)
Aquatic o	compartment - marine water	41 mg/l (-)
Aquatic of	compartment -sediment in marine wat	er 3.2 mg/kg sed dw (-)
	reatment plant (Abwasserreinigungsa	
	al information: The lists valid durin	g the making were used as basis.
8.2 Expo Personal General The usua Wash han Avoid co	sure controls protective equipment: protective and hygienic measures: l precautionary measures are to be ad nds before breaks and at the end of we ntact with the eyes and skin.	hered to when handling chemicals. ork.
8.2 Expo Personal General The usua Wash hat Avoid co Respirat Protectio Impervio The glov	sure controls protective equipment: protective and hygienic measures: l precautionary measures are to be ad nds before breaks and at the end of we ontact with the eyes and skin. ory protection: Ensure adequate ven on of hands: us gloves e material has to be impermeable and	hered to when handling chemicals. ork. tilation resistant to the product/ the substance/ the preparation.
8.2 Expo Personal General The usua Wash hat Avoid co Respirat Protectio Impervio The glov Selection	sure controls protective equipment: protective and hygienic measures: l precautionary measures are to be ad nds before breaks and at the end of we ntact with the eyes and skin. ory protection: Ensure adequate ven on of hands: us gloves e material has to be impermeable and of the glove material on consideratio	hered to when handling chemicals. ork. tilation
8.2 Expo Personal General The usua Wash han Avoid co Respirat Protectia Impervio The glov Selection Material The selec and varia	sure controls protective equipment: protective and hygienic measures: l precautionary measures are to be ad nds before breaks and at the end of we ntact with the eyes and skin. ory protection: Ensure adequate ven on of hands: us gloves e material has to be impermeable and of the glove material on consideration of gloves ction of the suitable gloves does not co es from manufacturer to manufacture e of the glove material can not be cal	hered to when handling chemicals. ork. tilation resistant to the product/ the substance/ the preparation.
8.2 Expo Personal General The usua Wash han Avoid co Respirat Protection The glov Selection Material The select and varior resistanc application Butyl rub Nitrile rub	sure controls protective equipment: protective and hygienic measures: l precautionary measures are to be ad nds before breaks and at the end of we ontact with the eyes and skin. tory protection: Ensure adequate ven on of hands: us gloves e material has to be impermeable and of the glove material on consideration l of gloves etion of the suitable gloves does not co es from manufacturer to manufacture of the glove material can not be cal on. bber, BR bber, NBR e gloves	hered to when handling chemicals. ork. tilation resistant to the product/ the substance/ the preparation. on of the penetration times, rates of diffusion and the degradation only depend on the material, but also on further marks of qualit rer. As the product is a preparation of several substances, th
8.2 Expo Personal General The usua Wash hai Avoid co Respirat Protection The glov Selection Material The select and varior resistanc application Butyl rub Nitrile ru Neoprence Penetrat	sure controls protective equipment: protective and hygienic measures: l precautionary measures are to be ad nds before breaks and at the end of we intact with the eyes and skin. ory protection: Ensure adequate ven on of hands: us gloves e material has to be impermeable and of the glove material on consideration of the glove material on consideration of the suitable gloves does not co es from manufacturer to manufacture e of the glove material can not be cal on. ober, BR bber, NBR e gloves ion time of glove material	hered to when handling chemicals. ork. tillation resistant to the product/ the substance/ the preparation. on of the penetration times, rates of diffusion and the degradation only depend on the material, but also on further marks of qualit ter. As the product is a preparation of several substances, th lculated in advance and has therefore to be checked prior to th
8.2 Expo Personal General The usua Wash hai Avoid co Respirat Protection The glov Selection Material The select and varior resistanc application Butyl rub Nitrile ru Neopreme Penetrat Gove ma	sure controls protective equipment: protective and hygienic measures: l precautionary measures are to be ad nds before breaks and at the end of we intact with the eyes and skin. ory protection: Ensure adequate ven on of hands: us gloves e material has to be impermeable and of the glove material on consideration of gloves etion of the suitable gloves does not of es from manufacturer to manufacture e of the glove material can not be call on. bber, BR bber, NBR e gloves cion time of glove material terial breakthroug-time laye	hered to when handling chemicals. ork. tilation resistant to the product/ the substance/ the preparation. on of the penetration times, rates of diffusion and the degradation only depend on the material, but also on further marks of qualit rer. As the product is a preparation of several substances, th lculated in advance and has therefore to be checked prior to th
8.2 Expo Personal General The usua Wash hai Avoid co Respirat Protection The glov Selection Material The select and varior resistanc application Butyl rub Nitrile ru Neoprence Penetrat	sure controls protective equipment: protective and hygienic measures: l precautionary measures are to be ad nds before breaks and at the end of we ntact with the eyes and skin. ory protection: Ensure adequate ven on of hands: us gloves e material has to be impermeable and a of the glove material on consideration of gloves etion of the suitable gloves does not consideration of the glove material can not be call on. bber, BR bber, NBR e gloves ion time of glove material terial breakthroug-time laye ober: ≥480 min ≥0,	hered to when handling chemicals. ork. tillation resistant to the product/ the substance/ the preparation. on of the penetration times, rates of diffusion and the degradation only depend on the material, but also on further marks of qualit ter. As the product is a preparation of several substances, th lculated in advance and has therefore to be checked prior to th

Printing date 03.03.2020

version no: 2

Revision: 28.02.2020

# Trade name: Magic-Box E-6 developer for 1 slide film First Developer FD

Neoprene: $\geq 240 \text{ min}$  $\geq 0,65 \text{ mm}$ (Contd. of page 4)The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

. Eye protection: Goggles recommended during refilling

. Body protection: Protective work clothing

# SECTION 9: Physical and chemical properties

9.1 Information on basic physical and c	hemical properties
General Information	
Appearance: Form:	Fluid
Form: Colour:	Light yellow
Odour:	Recognisable
Odour threshold:	Not determined.
pH-value at 20 °C:	~10
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: >100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Ignition temperature:	230 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	~1.3 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	5.1 %
Water:	50-90 %
Solids content:	0.0 %
9.2 Other information	No further relevant information available.

(Contd. on page 6)

Printing date 03.03.2020

version no: 2

Revision: 28.02.2020

#### Trade name: Magic-Box E-6 developer for 1 slide film First Developer FD

(Contd. of page 5)

# **SECTION 10: Stability and reactivity**

- . 10.1 Reactivity No further relevant information available.
- . 10.2 Chemical stability
- . Thermal decomposition / conditions to be avoided: Stable at environment temperature.
- . 10.3 Possibility of hazardous reactions No dangerous reactions known.
- . 10.4 Conditions to avoid No further relevant information available.
- . 10.5 Incompatible materials: No further relevant information available.
- . 10.6 Hazardous decomposition products:

Irritant gases/vapours

Carbon monoxide and carbon dioxide

#### **SECTION 11: Toxicological information**

. 11.1 Information on toxicological effects

. Acute toxicity Based on available data, the classification criteria are not met.

. LD/LC50 values relevant for classification:

21799-87-1 Potassium 2,5-dihydroxybenzenesulphonate

Oral LD50 >10,000 mg/kg (rat)

584-08-7 potassium carbonate

Oral LD50 >2,000 mg/kg (rat)

#### 111-46-6 diethylene glycol

Oral LD50 12,565 mg/kg (rat)

#### 7758-02-3 potassium bromide

Oral LD50 3,070 mg/kg (rat)

#### 13047-13-7 4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one (HMP)

Oral LD50 566 mg/kg (rat)

. Primary irritant effect:

- . Skin corrosion/irritation
- Causes skin irritation.
- . Serious eye damage/irritation
- Causes serious eye irritation.

. Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- . CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- . Germ cell mutagenicity Based on available data, the classification criteria are not met.
- . Carcinogenicity Based on available data, the classification criteria are not met.
- . Reproductive toxicity Based on available data, the classification criteria are not met.
- . STOT-single exposure Based on available data, the classification criteria are not met.
- . STOT-repeated exposure Based on available data, the classification criteria are not met.
- . Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- . 12.1 Toxicity
- . Aquatic toxicity:

111-46-6 diethylene glycol

EC50 24 mg/l (daphnia magna (Water flea))

LC50 96 mg/l (Invertebrates)

13047-13-7 4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one (HMP)

LC50 1-10 mg/l (fish)

. 12.2 Persistence and degradability No further relevant information available.

Printing date 03.03.2020

version no: 2

Revision: 28.02.2020

# Trade name: Magic-Box E-6 developer for 1 slide film First Developer FD

. **12.3 Bioaccumulative potential** No further relevant information available.

. 12.4 Mobility in soil No further relevant information available.

Additional ecological information:

. General notes:

Do not allow product to reach ground water, water course or sewage system. Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Danger to drinking water if even small quantities leak into the ground.

#### . 12.5 Results of PBT and vPvB assessment

- . **PBT:** Not applicable.
- . vPvB: Not applicable.

. 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### . 13.1 Waste treatment methods

#### Recommendation

Rinse out concentrate residues with some of the water used for the solution and add to the solution in question. Return the containers for recycling without concentrate residues. For further information on waste management techniques for photographic chemicals please contact the local environmental authorities. Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

09 01 01\* water-based developer and activator solutions

#### . Uncleaned packaging:

- . Recommendation: Disposal must be made according to official regulations.
- . Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informa	ntion	
. 14.1 UN-Number . ADR, ADN, IMDG, IATA	Void	
. 14.2 UN proper shipping name		
. ADR	Void	
. ADN, IMDG, IATA	Void	
. 14.3 Transport hazard class(es)		
. ADR, ADN, IMDG, IATA		
. Class	Void	
. 14.4 Packing group		
. ADR, IMDĞ, IATA	Void	
. 14.5 Environmental hazards:		
. Marine pollutant:	No	
. 14.6 Special precautions for user	Not applicable.	
. 14.7 Transport in bulk according to Ann	nex II of	
Marpol and the IBC Code	Not applicable.	
. UN "Model Regulation":	Void	

#### **SECTION 15: Regulatory information**

. 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture . Labelling according to Regulation (EC) No 1272/2008 GHS label elements

(Contd. of page 6)

Printing date 03.03.2020

version no: 2

Revision: 28.02.2020

(Contd. of page 7)

<5%

# Trade name: Magic-Box E-6 developer for 1 slide film **First Developer FD**

. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

. National regulations:

. Regulation (EC) No 648/2004 on detergents / Labelling for contents

phosphonates

. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**


This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H411 Toxic to aquatic life with long lasting effects. Contact: E: sida@tetenal.com Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 \* Data compared to the previous version altered.

Safety data sheet


TETENA according to 1907/2006/EC, Article 31



Printing date 03.03.2020

version no: 2

Revision: 28.02.2020



EN

Printing date 03.03.2020

version no: 2

Revision: 28.02.2020

# Trade name: Magic-Box E-6 developer for 1 slide film **Colour Developer**

	(Contd. of page	e 1)
P362+P364	Take off contaminated clothing and wash it before reuse.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P390	Absorb spillage to prevent material damage.	
P406	Store in a corrosion resistant container / container with a resistant inner liner.	
	ackages where the contents do not exceed 125 ml	
. Hazard pictog	rams	
<b>^</b>		
GHS07		
. Signal word W	Varning	
. Hazard staten		
. Precautionary	statements	
P101 If medica	l advice is needed, have product container or label at hand.	
P102 Keep out	of reach of children.	
P103 Read labe	el before use.	
. 2.3 Other haza	ards	
. Results of PB	Γ and vPvB assessment	
. <b>PBT:</b> Not appl	icable.	
. vPvB: Not app		

Dangerous components:		
CAS: 7778-53-2	Tripotassium orthophosphate	10-<25%
EINECS: 213-907-1	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 1310-73-2	sodium hydroxide (caustic soda)	1-2%
EINECS: 215-185-5	Met. Corr.1, H290; Skin Corr. 1A, H314	

. Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- . 4.1 Description of first aid measures
- . General information: Immediately remove any clothing/shoes soiled by the product.
- . After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- . After skin contact: Immediately wash with water and soap and rinse thoroughly.
- . After eve contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- . After swallowing:
- Induce vomiting and call for medical help.
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- . 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- . 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

Printing date 03.03.2020

version no: 2

Revision: 28.02.2020

#### Trade name: Magic-Box E-6 developer for 1 slide film Colour Developer

(Contd. of page 2)

#### **SECTION 5: Firefighting measures**

. 5.1 Extinguishing media

. Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

. 5.2 Special hazards arising from the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

. 5.3 Advice for firefighters

. Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

. 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

. **6.2 Environmental precautions:** Dilute with plenty of water.

- Do not allow to enter sewers/ surface or ground water.
- . 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Pick up mechanically.

. 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

. 7.1 Precautions for safe handling Prevent formation of aerosols.

. Information about fire - and explosion protection: No special measures required.

. 7.2 Conditions for safe storage, including any incompatibilities

. Storage:

. Requirements to be met by storerooms and receptacles: No special requirements.

. Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with acids.

Store away from oxidising agents.

# . Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store under lock and key and out of the reach of children.

Recommended storage temperature: 5-30°C

Protect from exposure to the light.

. 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

. Additional information about design of technical facilities: No further data; see item 7.

. 8.1 Control parameters

. Ingredients with limit values that require monitoring at the workplace:

1310-73-2 sodium hydroxide (caustic soda) (<2.5%)

WEL Short-term value: 2 mg/m<sup>3</sup>

. Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 03.03.2020

version no: 2

Revision: 28.02.2020

# Trade name: Magic-Box E-6 developer for 1 slide film Colour Developer

(Contd. of page 3)

8.2 Exposure controls Personal protective eq	
General protective and	
	uffs, beverages and feed.
	soiled and contaminated clothing
	iks and at the end of work.
Do not inhale gases / fu	
Avoid contact with the <b>Respiratory protection</b>	
Not necessary if room is	
No personal respirator excessive odor or dusts filter type P2 or P3 acco	y protection required. In case of insufficient ventilation, excess of workplace lin , fibers and fumes, use self-contained breathing apparatus or breathing apparatus v
Protection of hands:	
Protective g	loves
Impervious gloves	to be impermediate and registent to the product/ the substance (the survey surface)
	to be impermeable and resistant to the product/ the substance/ the preparation. naterial on consideration of the penetration times, rates of diffusion and the degrada
	table gloves does not only depend on the material, but also on further marks of qua
	facturer to manufacturer. As the product is a preparation of several substances,
	material can not be calculated in advance and has therefore to be checked prior to
application.	material can not be calculated in advance and has increase to be checked prior to
Butyl rubber, BR	
Nitrile rubber, NBR	
Neoprene gloves	
Penetration time of glo	ove material
	akthroug-time layer thickness
	480 min ≥0,4mm
	l80 min ≥0,38mm
Neoprene: ≥2	40 min ≥0,65mm
The exact break trough	time has to be found out by the manufacturer of the protective gloves and has to
observed.	
Eye protection:	
Tightly seal	ed goggles
Body protection: Prote	ective work clothing
<b>SECTION 9: Phys</b>	ical and chemical properties
	sic physical and chemical properties
General Information	
Appearance:	1 1
Form:	Fluid
Colour:	Light yellow
Odour:	Recognisable
	>13
pH-value at 20 °C:	~15

Printing date 03.03.2020

version no: 2

Revision: 28.02.2020

### Trade name: Magic-Box E-6 developer for 1 slide film Colour Developer

		(Contd. of page
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. : > 100 °C	
. Flash point:	Not applicable.	
. Auto-ignition temperature:	Product is not selfigniting.	
. Explosive properties:	Product does not present an explosion hazard.	
. Vapour pressure at 20 °C:	23 hPa	
. Density at 20 °C:	~1.2 g/cm <sup>3</sup>	
. Solubility in / Miscibility with water:	Fully miscible.	
. Solvent content: Organic solvents: Water: . 9.2 Other information	0.0 % 50-90 % No further relevant information available.	

# **SECTION 10: Stability and reactivity**

. 10.1 Reactivity No further relevant information available.

. 10.2 Chemical stability

. Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- . 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- . 10.4 Conditions to avoid No further relevant information available.
- . 10.5 Incompatible materials: No further relevant information available.
- . 10.6 Hazardous decomposition products: Irritant gases/vapours

# **SECTION 11: Toxicological information**

#### . 11.1 Information on toxicological effects

- . Acute toxicity Based on available data, the classification criteria are not met.
- . LD/LC50 values relevant for classification:

#### 7778-53-2 Tripotassium orthophosphate

Oral LD50 4500 mg/kg (rat)

Dermal LD50 >4640 mg/kg (rabbit)

#### 1310-73-2 sodium hydroxide (caustic soda)

Oral LD50 >2000 mg/kg (rat)

- . Primary irritant effect:
- . Skin corrosion/irritation
- Causes skin irritation.
- . Serious eye damage/irritation
- Causes serious eye irritation.
- . Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- . Additional toxicological information:

The preparation is "irritant". J.R. Young, M.J. How, A.P. Walker and W.M.H. Worth (1988): Classification as corrosive or irritant to skin of preparations containing acidic or alkaline substances, without testing on animals. Toxic. in Vitro, Bd.2, Nr.1, 1988, S.19-26].

- . CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- . Germ cell mutagenicity Based on available data, the classification criteria are not met.
- . Carcinogenicity Based on available data, the classification criteria are not met.
- . Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

EN

Printing date 03.03.2020

version no: 2

Revision: 28.02.2020

#### Trade name: Magic-Box E-6 developer for 1 slide film Colour Developer

(Contd. of page 5)

- . STOT-single exposure Based on available data, the classification criteria are not met.
- . STOT-repeated exposure Based on available data, the classification criteria are not met.
- . Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

. 12.1 Toxicity

Aquatic toxicity:

#### 7778-53-2 Tripotassium orthophosphate

LC50 96h: 750 mg/l (fish)

#### 1310-73-2 sodium hydroxide (caustic soda)

EC50 24h: 76 mg/l (daphnia magna (Water flea))

LC50 48h: 99 mg/l (Lepomis macrochirus (Sonnenbarsch))

96h: 45.4 mg/l (fish: Oncorhynchus mykiss)

- . 12.2 Persistence and degradability No further relevant information available.
- . 12.3 Bioaccumulative potential No further relevant information available.
- . 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

. General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- . 12.5 Results of PBT and vPvB assessment
- . **PBT:** Not applicable.
- . **vPvB:** Not applicable.
- . 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

. 13.1 Waste treatment methods

. Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

. European waste catalogue

09 01 01 water-based developer and activator solutions

- . Uncleaned packaging:
- . Recommendation: Disposal must be made according to official regulations.
- . Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDĞ, IATA	Void	

Printing date 03.03.2020

version no: 2

Revision: 28.02.2020

#### Trade name: Magic-Box E-6 developer for 1 slide film Colour Developer

	(Contd. of page 6)
No	
Not applicable.	
nex II of	
Void	
	Not applicable. <b>nex II of</b> Not applicable.

#### **SECTION 15: Regulatory information**

. 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### . Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

#### . Department issuing SDS: Department product safety

. Contact: E: sida@tetenal.com

#### . Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

EN –

Safety data sheet



according to 1907/2006/EC, Article 31

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- . 1.1 Product identifier
- . Trade name: Magic-Box E-6 developer for 1 slide film Colour Developer CD-Part 2
- . Article number: 100256/2.2
- . Index number:
- None of the ingredients is listed.
- . **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- . Application of the substance / the mixture Developer for photographic use

#### . **1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:** TETENAL 1847 GmbH Schützenwall 31-35 D-22844 Norderstedt /Germany Tel.: +49 (0) 40 521 45-0; Fax: +49 (0)40-52145-296 www.tetenal.com; E-mail: info@tetenal.com

. Further information obtainable from: Department product safety. E-Mail: sida@tetenal.com

. 1.4 Emergency telephone number: Tetenal Tel.:+49(0) 40 521 45-0 (open: 8am till 4pm)

# **SECTION 2: Hazards identification**

#### . 2.1 Classification of the substance or mixture

. Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

- Eye Dam. 1 H318 Causes serious eye damage.
- Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

#### . 2.2 Label elements

#### . Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

. Hazard pictograms



. Signal word Danger

#### . Hazard-determining components of labelling:

N-(2-(4-amino-N-ethyl-m-toluidino)ethyl)methanesulphonamide sesquisulphate (CD-3)

#### . Hazard statements

The content is not more than 125 ml. In accordance with Regulation 1272/2008 Annex I, Section 1.5.2.1, only certain labelling elements are obligatory for the packaging in this case. Therefore, the following label elements may not be on the label.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.

(Contd. on page 2)

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

# Trade name: Magic-Box E-6 developer for 1 slide film Colour Developer CD-Part 2

	(Contd. of page 1
P260	Do not breathe dusts or mists.
P264	Wash hands thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P362+P364	Take off contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P391	Collect spillage.
P501	Dispose of contents/container in accordance with local regulations.
Labelling of p	ackages where the contents do not exceed 125 ml
Hazard pictog	
<b>A</b>	
Pa	
< <u> </u>	
$\sim$	
GHS05 GI	IS07 GHS09
011505 01	
~	
Signal word D	anger
<b>TT</b> 11/	
	nining components of labelling:
	N-ethyl-m-toluidino)ethyl)methanesulphonamide sesquisulphate (CD-3)
Hazard staten	lents
H318 Causes so	erious eye damage.
H317 May caus	e an allergic skin reaction.
Precautionary	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	
P261	
	Read label before use.
P272	Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray.
	Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace.
P280	Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves / eye protection / face protection.
P302+P352	Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves / eye protection / face protection. IF ON SKIN: Wash with plenty of water.
P302+P352	Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves / eye protection / face protection. IF ON SKIN: Wash with plenty of water.
P302+P352	Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves / eye protection / face protection. IF ON SKIN: Wash with plenty of water. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
P302+P352 P305+P351+P3	<ul> <li>Read label before use.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Contaminated work clothing should not be allowed out of the workplace.</li> <li>Wear protective gloves / eye protection / face protection.</li> <li>IF ON SKIN: Wash with plenty of water.</li> <li>338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.</li> </ul>
P302+P352 P305+P351+P3 P310	<ul> <li>Read label before use.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Contaminated work clothing should not be allowed out of the workplace.</li> <li>Wear protective gloves / eye protection / face protection.</li> <li>IF ON SKIN: Wash with plenty of water.</li> <li>338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.</li> <li>Immediately call a POISON CENTER/doctor.</li> </ul>
P302+P352 P305+P351+P3 P310 P321	<ul> <li>Read label before use.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Contaminated work clothing should not be allowed out of the workplace.</li> <li>Wear protective gloves / eye protection / face protection.</li> <li>IF ON SKIN: Wash with plenty of water.</li> <li>838 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.</li> <li>Immediately call a POISON CENTER/doctor.</li> <li>Specific treatment (see on this label).</li> </ul>
P302+P352 P305+P351+P3 P310 P321 P362+P364	<ul> <li>Read label before use.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Contaminated work clothing should not be allowed out of the workplace.</li> <li>Wear protective gloves / eye protection / face protection.</li> <li>IF ON SKIN: Wash with plenty of water.</li> <li>338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.</li> <li>Immediately call a POISON CENTER/doctor.</li> <li>Specific treatment (see on this label).</li> <li>Take off contaminated clothing and wash it before reuse.</li> </ul>
P302+P352 P305+P351+P3 P310 P321 P362+P364 P333+P313	<ul> <li>Read label before use.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Contaminated work clothing should not be allowed out of the workplace.</li> <li>Wear protective gloves / eye protection / face protection.</li> <li>IF ON SKIN: Wash with plenty of water.</li> <li>338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.</li> <li>Immediately call a POISON CENTER/doctor.</li> <li>Specific treatment (see on this label).</li> <li>Take off contaminated clothing and wash it before reuse.</li> <li>If skin irritation or rash occurs: Get medical advice/attention.</li> </ul>
P302+P352 P305+P351+P3 P310 P321 P362+P364 P333+P313 P501	<ul> <li>Read label before use.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Contaminated work clothing should not be allowed out of the workplace.</li> <li>Wear protective gloves / eye protection / face protection.</li> <li>IF ON SKIN: Wash with plenty of water.</li> <li>338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.</li> <li>Immediately call a POISON CENTER/doctor.</li> <li>Specific treatment (see on this label).</li> <li>Take off contaminated clothing and wash it before reuse.</li> <li>If skin irritation or rash occurs: Get medical advice/attention.</li> <li>Dispose of contents/container in accordance with local regulations.</li> </ul>
P302+P352 P305+P351+P3 P310 P321 P362+P364 P333+P313 P501 <b>2.3 Other haze</b>	<ul> <li>Read label before use.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Contaminated work clothing should not be allowed out of the workplace.</li> <li>Wear protective gloves / eye protection / face protection.</li> <li>IF ON SKIN: Wash with plenty of water.</li> <li>838 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.</li> <li>Immediately call a POISON CENTER/doctor.</li> <li>Specific treatment (see on this label).</li> <li>Take off contaminated clothing and wash it before reuse.</li> <li>If skin irritation or rash occurs: Get medical advice/attention.</li> <li>Dispose of contents/container in accordance with local regulations.</li> </ul>
P302+P352 P305+P351+P3 P310 P321 P362+P364 P333+P313 P501 <b>2.3 Other haza</b>	<ul> <li>Read label before use.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Contaminated work clothing should not be allowed out of the workplace.</li> <li>Wear protective gloves / eye protection / face protection.</li> <li>IF ON SKIN: Wash with plenty of water.</li> <li>338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.</li> <li>Immediately call a POISON CENTER/doctor.</li> <li>Specific treatment (see on this label).</li> <li>Take off contaminated clothing and wash it before reuse.</li> <li>If skin irritation or rash occurs: Get medical advice/attention.</li> <li>Dispose of contents/container in accordance with local regulations.</li> </ul>
P302+P352 P305+P351+P3 P310 P321 P362+P364 P333+P313 P501 <b>2.3 Other haza</b>	<ul> <li>Read label before use.</li> <li>Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Contaminated work clothing should not be allowed out of the workplace.</li> <li>Wear protective gloves / eye protection / face protection.</li> <li>IF ON SKIN: Wash with plenty of water.</li> <li>838 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.</li> <li>Immediately call a POISON CENTER/doctor.</li> <li>Specific treatment (see on this label).</li> <li>Take off contaminated clothing and wash it before reuse.</li> <li>If skin irritation or rash occurs: Get medical advice/attention.</li> <li>Dispose of contents/container in accordance with local regulations.</li> </ul>

. **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### . 3.2 Chemical characterisation: Mixtures

. Description: Mixture of substances listed below and with nonhazardous additions.

#### . Dangerous components:

 CAS: 25646-71-3
 N-(2-(4-amino-N-ethyl-m-toluidino)ethyl)methanesulphonamide1-5%

 EINECS: 247-161-5
 sesquisulphate (CD-3)

 Index number: 612-134-00-2
 Acute Tox. 3, H301; <br/>♦ Eye Dam. 1, H318; <br/>♦ Aquatic Chronic

 Reg.nr.: 01-2120794432-50-0001
 1, H410; <br/>♦ Skin Sens. 1, H317

(Contd. on page 3)

<sup>-</sup> EN

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

#### Trade name: Magic-Box E-6 developer for 1 slide film Colour Developer CD-Part 2

. Additional information: For the wording of the listed hazard phrases refer to section 16. (Contd. of page 2)

#### **SECTION 4: First aid measures**

. 4.1 Description of first aid measures

- . General information: Immediately remove any clothing/shoes soiled by the product.
- . After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- . After skin contact: Immediately wash with water and soap and rinse thoroughly.
- . After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- . After swallowing: If symptoms persist consult doctor.

. 4.2 Most important symptoms and effects, both acute and delayed

- No further relevant information available.
- . 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **SECTION 5: Firefighting measures**

. 5.1 Extinguishing media

. Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

. 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Sulphur dioxide (SO2)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

. 5.3 Advice for firefighters

. Protective equipment: Do not inhale explosion gases or combustion gases.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- . 6.4 Reference to other sections
  See Section 7 for information on safe handling.
  See Section 8 for information on personal protection equipment.
  See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

. 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

. Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)

EN

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

### Trade name: Magic-Box E-6 developer for 1 slide film Colour Developer CD-Part 2

(Contd. of page 3)

. 7.2 Conditions for safe storage, including any incompatibilities . Storage:
. <b>Requirements to be met by storerooms and receptacles:</b> Store only in the original receptacle.
. Information about storage in one common storage facility:
Store away from foodstuffs.
Store away from oxidising agents.
. Further information about storage conditions:
Protect from heat and direct sunlight.
Protect from exposure to the light.
Store under lock and key and out of the reach of children.
Recommended storage temperature: 5-30°C
. 7.3 Specific end use(s) No further relevant information available.
SECTION 8: Exposure controls/personal protection
. Additional information about design of technical facilities: No further data; see item 7.
. 8.1 Control parameters . Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- . Additional information: The lists valid during the making were used as basis.
- . 8.2 Exposure controls
- . Personal protective equipment:
- . General protective and hygienic measures:
- Avoid contact with the skin.

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

. Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Ensure adequate ventilation

# Protection of hands:



Protective gloves

Impervious gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR Nitrile rubber, NBR Neoprene gloves

#### . Penetration time of glove material

Gove material	breakthroug-time
Butyl rubber:	≥480 min
Nitrile rubber:	≥480 min
Neoprene:	≥240 min

layer thickness ≥0,4mm ≥0,38mm ≥0,65mm

(Contd. on page 5)

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

# Trade name: Magic-Box E-6 developer for 1 slide film Colour Developer CD-Part 2

(Contd. of page 4) The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

. Eye protection:



Tightly sealed goggles

. Body protection: Protective work clothing

9.1 Information on basic physical and c	hemical properties
General Information	
Appearance:	F1: J
Form: Colour:	Fluid Light yellow
Odour:	to sulfur dioxide
Odour threshold:	Not determined.
pH-value at 20 °C:	2
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	:>100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	$\sim 1 \text{ g/cm}^3$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	90-98 %
Solids content:	0.0 %
9.2 Other information	No further relevant information available.

(Contd. on page 6)

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

### Trade name: Magic-Box E-6 developer for 1 slide film Colour Developer CD-Part 2

(Contd. of page 5)

### **SECTION 10: Stability and reactivity**

- . 10.1 Reactivity No further relevant information available.
- . 10.2 Chemical stability
- . Thermal decomposition / conditions to be avoided: Stable at environment temperature.
- . 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- . 10.4 Conditions to avoid No further relevant information available.
- . 10.5 Incompatible materials: Under certain fire conditions, traces of other toxic gases cannot be excluded.
- . 10.6 Hazardous decomposition products:
- Irritant gases/vapours

Carbon monoxide and carbon dioxide

#### **SECTION 11: Toxicological information**

. 11.1 Information on toxicological effects

- . Acute toxicity Based on available data, the classification criteria are not met.
- . LD/LC50 values relevant for classification:

25646-71-3 N-(2-(4-amino-N-ethyl-m-toluidino)ethyl)methanesulphonamide sesquisulphate (CD-3)

Oral LD50 >75 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rat)

- Primary irritant effect:
- Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation
- Causes serious eye damage.
- . **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- . Additional toxicological information:

The preparation is "irritant". J.R. Young, M.J. How, A.P. Walker and W.M.H. Worth (1988): Classification as corrosive or irritant to skin of preparations containing acidic or alkaline substances, without testing on animals. Toxic. in Vitro, Bd.2, Nr.1, 1988, S.19-26].

. Acute effects (acute toxicity, irritation and corrosivity)

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

. CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- . Germ cell mutagenicity Based on available data, the classification criteria are not met.
- . Carcinogenicity Based on available data, the classification criteria are not met.
- . Reproductive toxicity Based on available data, the classification criteria are not met.
- . STOT-single exposure Based on available data, the classification criteria are not met.
- . STOT-repeated exposure Based on available data, the classification criteria are not met.
- . Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- . 12.1 Toxicity
- . Aquatic toxicity:

25646-71-3 N-(2-(4-amino-N-ethyl-m-toluidino)ethyl)methanesulphonamide sesquisulphate (CD-3)

LC50 96 mg/l (fish: Pimephales promelas)

- . 12.2 Persistence and degradability No further relevant information available.
- . 12.3 Bioaccumulative potential No further relevant information available.
- . 12.4 Mobility in soil No further relevant information available.
- . Ecotoxical effects:
- . Remark: Toxic for fish

(Contd. on page 7)

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

#### Trade name: Magic-Box E-6 developer for 1 slide film Colour Developer CD-Part 2

(Contd. of page 6)

- . Additional ecological information:
- . General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

#### . 12.5 Results of PBT and vPvB assessment

- . **PBT:** Not applicable.
- . **vPvB:** Not applicable.
- . 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- . 13.1 Waste treatment methods
- . Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- European waste catalogue

09 01 01 water-based developer and activator solutions

- . Uncleaned packaging:
- . Recommendation: Disposal must be made according to official regulations.
- . Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number ADR, IMDG, IATA	UN3082	
14.2 UN proper shipping name		
ADR	3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (p-phenylenediam derivative CD-3)	
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (p-phenylenediamine derivative CD- MARINE POLLUTANT	
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (p-phenylenediamine derivative CD-3)	
14.3 Transport hazard class(es)		
ADR		
Class	9 (M6) Miscellaneous dangerous substances and articles	
Label	9	
IMDG, IATA		
Class	9 Miscellaneous dangerous substances and articles.	
Label	9	
14.4 Packing group		
ADR, IMDĞ, IATA	III	
14.5 Environmental hazards:		
Marine pollutant:	Yes	
•	Symbol (fish and tree)	
Special marking (ADR):	Symbol (fish and tree)	

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

#### Trade name: Magic-Box E-6 developer for 1 slide film Colour Developer CD-Part 2

	(Contd. of page
. Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an articles.
Hazard identification number (Kemler code):	90
EMS Number:	F-A,S-F
Stowage Category	A
14.7 Transport in bulk according to Annex II o	of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
. Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	-
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU
č	SUBSTANCE, LIQUID, N.O.S. (P
	PHENYLENEDIAMINE DERIVATIVE CD-3), 9, III

#### **SECTION 15: Regulatory information**

. 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- . Labelling according to Regulation (EC) No 1272/2008 GHS label elements
- . Directive 2012/18/EU

. Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

. Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- H301 Toxic if swallowed.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H410 Very toxic to aquatic life with long lasting effects.
- . Contact: E: sida@tetenal.com
- . Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 9)

EN

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020


(Contd. of page 8)

# Trade name: Magic-Box E-6 developer for 1 slide film Colour Developer CD-Part 2

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - oral – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 . \* **Data compared to the previous version altered.** 

# Safety data sheet

according to 1907/2006/EC, Article 31



version no: 2

Revision: 03.03.2020

ETENA

Page 1/5

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### . 1.1 Product identifier

#### . Trade name: Magic-Box E-6 developer for 1 slide film Bleach Fix BX Part 1

. Article number: 100256/3.1

#### . Index number:

None of the ingredients is listed.

. **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

. Application of the substance / the mixture Bleachfix preparation for photographic use

#### . 1.3 Details of the supplier of the safety data sheet . Manufacturer/Supplier: TETENAL 1847 GmbH Schützenwall 31-35 D-22844 Norderstedt /Germany

Tel.: +49 (0) 40 521 45-0; Fax: +49 (0)40-52145-296 www.tetenal.com; E-mail: info@tetenal.com

. Further information obtainable from: Department product safety. E-Mail: sida@tetenal.com . 1.4 Emergency telephone number: Tetenal Tel.:+49(0) 40 521 45-0 (open: 8am till 4pm)

#### **SECTION 2: Hazards identification**

. 2.1 Classification of the substance or mixture

- . Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the CLP regulation.
- . 2.2 Label elements
- . Labelling according to Regulation (EC) No 1272/2008 Void
- . Hazard pictograms Void
- . Signal word Void
- . Hazard statements Void
- . 2.3 Other hazards
- . Results of PBT and vPvB assessment
- . **PBT:** Not applicable.
- . vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

- . 3.2 Chemical characterisation: Mixtures
- . Description: Mixture of substances listed below and with nonhazardous additions.
- . Dangerous components: Void
- . Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

. 4.1 Description of first aid measures

- . General information: Immediately remove any clothing/shoes soiled by the product.
- . After inhalation: Supply fresh air; consult doctor in case of complaints.
- . After skin contact: Immediately rinse with water.
- . After eye contact: Rinse opened eye for several (15 min) under running water.

. After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

(Contd. on page 2)

EN

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

# Trade name: Magic-Box E-6 developer for 1 slide film Bleach Fix BX Part 1

. 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

. 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

#### . 5.1 Extinguishing media

. Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

. 5.2 Special hazards arising from the substance or mixture No further relevant information available.

. 5.3 Advice for firefighters

. Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

. 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

. 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- . 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- . 6.4 Reference to other sections No dangerous substances are released.

#### **SECTION 7: Handling and storage**

. 7.1 Precautions for safe handling No special measures required.

. Information about fire - and explosion protection: No special measures required.

. 7.2 Conditions for safe storage, including any incompatibilities

. Storage:

. Requirements to be met by storerooms and receptacles: No special requirements.

. Information about storage in one common storage facility: Store away from foodstuffs.

. Further information about storage conditions: Recommended storage temperature: 5-30°C

. 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

. Additional information about design of technical facilities: No further data; see item 7.

. 8.1 Control parameters

. Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- . Additional information: The lists valid during the making were used as basis.
- . 8.2 Exposure controls
- . Personal protective equipment:
- . General protective and hygienic measures: Avoid contact with the skin.
- . Respiratory protection: Not required.
- . Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

#### Butyl rubber, BR

(Contd. on page 3)

(Contd. of page 1)

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

# Trade name: Magic-Box E-6 developer for 1 slide film Bleach Fix BX Part 1

(Contd. of page 2)

Nitrile rubber, NBR

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

. Eye protection: Safety glasses

. Body protection: Protective work clothing

SECTION 9: Physical and chemical properties		
. 9.1 Information on basic physical and chemical properties . General Information . Appearance:		
Form:	Fluid	
Colour:	red brown	
. Odour:	Odourless	
. pH-value at 20 °C:	~7	
. Change in condition Melting point/freezing point: Initial boiling point and boiling ran	Undetermined. <b>nge:</b> > 100 °C	
. Flash point:	Not applicable.	
. Auto-ignition temperature:	Product is not selfigniting.	
. Explosive properties:	Product does not present an explosion hazard.	
. Vapour pressure:	Not determined.	
. Density at 20 °C:	~1.2 g/cm <sup>3</sup>	
. Solubility in / Miscibility with water:	Fully miscible.	
. Solvent content:		
Water:	50-90 %	
. 9.2 Other information	No further relevant information available.	

#### **SECTION 10: Stability and reactivity**

. 10.1 Reactivity No further relevant information available.

- . 10.2 Chemical stability
- . Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- . 10.3 Possibility of hazardous reactions No dangerous reactions known.
- . 10.4 Conditions to avoid No further relevant information available.
- . 10.5 Incompatible materials: No further relevant information available.
- . 10.6 Hazardous decomposition products: Irritant gases/vapours

#### **SECTION 11: Toxicological information**

. 11.1 Information on toxicological effects

. Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 4)

EN

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

# Trade name: Magic-Box E-6 developer for 1 slide film Bleach Fix BX Part 1

(Contd. of page 3)

- . Primary irritant effect:
- . Skin corrosion/irritation Based on available data, the classification criteria are not met.
- . Serious eye damage/irritation Based on available data, the classification criteria are not met.
- . Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- . CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- . Germ cell mutagenicity Based on available data, the classification criteria are not met.
- . Carcinogenicity Based on available data, the classification criteria are not met.
- . Reproductive toxicity Based on available data, the classification criteria are not met.
- . STOT-single exposure Based on available data, the classification criteria are not met.
- . STOT-repeated exposure Based on available data, the classification criteria are not met.
- . Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

#### . 12.1 Toxicity

- . Aquatic toxicity: No further relevant information available.
- . 12.2 Persistence and degradability No further relevant information available.
- . **12.3 Bioaccumulative potential** No further relevant information available.
- . 12.4 Mobility in soil No further relevant information available.
- . Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Danger to drinking water if even small quantities leak into the ground.

- . 12.5 Results of PBT and vPvB assessment
- . **PBT:** Not applicable.
- . **vPvB:** Not applicable.
- . 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

. 13.1 Waste treatment methods

. Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

09 01 05 bleach solutions and bleach fixer solutions

- Uncleaned packaging:
- . Recommendation: Disposal must be made according to official regulations.
- . Recommended cleansing agents: Water, if necessary together with cleansing agents.

. 14.1 UN-Number		
. ADR, ADN, IMDG, IATA	Void	
. 14.2 UN proper shipping name		
. ADR, ADN, IMDG, IATA	Void	
. 14.3 Transport hazard class(es)		
. ADR, ADN, IMDG, IATA		
. Class	Void	
. 14.4 Packing group		
. ADR, IMDĞ, IATA	Void	

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

### Trade name: Magic-Box E-6 developer for 1 slide film Bleach Fix BX Part 1

		(Contd. of page 4)
. 14.5 Environmental hazards:		
. Marine pollutant:	No	
. 14.6 Special precautions for user	Not applicable.	
. 14.7 Transport in bulk according to An	nex II of	
Marpol and the IBC Code	Not applicable.	
. UN "Model Regulation":	Void	

#### **SECTION 15: Regulatory information**

. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

. Contact: E: sida@tetenal.com

#### . Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)


PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

\* Data compared to the previous version altered.

# Safety data sheet

according to 1907/2006/EC, Article 31



version no: 2

Revision: 03.03.2020

TETENO

Page 1/6

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### . 1.1 Product identifier

#### . Trade name: <u>Magic-Box E-6 developer for 1 slide film</u> Bleach Fix BX Part 2

. Article number: 100256/3.2

#### . Index number:

#### None of the ingredients is listed.

. **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

. Application of the substance / the mixture Bleachfix preparation for photographic use

#### . **1.3 Details of the supplier of the safety data sheet** . **Manufacturer/Supplier:** TETENAL 1847 GmbH Schützenwall 31-35 D-22844 Norderstedt /Germany

Tel.: +49 (0) 40 521 45-0; Fax: +49 (0)40-52145-296 www.tetenal.com; E-mail: info@tetenal.com

. Further information obtainable from: Department product safety. E-Mail: sida@tetenal.com . 1.4 Emergency telephone number: Tetenal Tel.:+49(0) 40 521 45-0 (open: 8am till 4pm)

#### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- . 2.2 Label elements
- . Labelling according to Regulation (EC) No 1272/2008 Void
- . Hazard pictograms Void
- . Signal word Void
- . Hazard statements

The content is not more than 125 ml. In accordance with Regulation 1272/2008 Annex I, Section 1.5.2.1, only certain labelling elements are obligatory for the packaging in this case. Therefore, the following label elements may not be on the label.

- . Additional information:
- EUH031 Contact with acids liberates toxic gas.
- . Labelling of packages where the contents do not exceed 125 ml
- . Hazard pictograms Void
- . Signal word Void
- . Hazard statements Void
- . 2.3 Other hazards
- . Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . **vPvB:** Not applicable.

#### **SECTION 3: Composition/information on ingredients**

#### . 3.2 Chemical characterisation: Mixtures

. **Description:** Mixture of substances listed below and with nonhazardous additions.

#### . Dangerous components:

CAS: 7631-90-5 sodium bisulphite EINECS: 231-548-0 () Acute Tox. 4, H302 Index number: 016-064-00-8 5-10%

(Contd. on page 2)

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

#### Trade name: Magic-Box E-6 developer for 1 slide film Bleach Fix BX Part 2

(Contd. of page 1)

. Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

. 4.1 Description of first aid measures

- . After inhalation: Supply fresh air; consult doctor in case of complaints.
- . After skin contact: Immediately rinse with water.
- . After eye contact: Rinse opened eye for several (15 min) under running water.
- . After swallowing:
- If symptoms persist consult doctor.

Rinse out mouth and then drink plenty of water.

- . 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

. 5.1 Extinguishing media

. Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

. 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Sulphur dioxide (SO2)

. 5.3 Advice for firefighters

. Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

. 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

. 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

. 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Pick up mechanically.

. 6.4 Reference to other sections No dangerous substances are released.

#### **SECTION 7: Handling and storage**

. 7.1 Precautions for safe handling No special measures required.

. Information about fire - and explosion protection: No special measures required.

. 7.2 Conditions for safe storage, including any incompatibilities

. Storage:

. Requirements to be met by storerooms and receptacles: No special requirements.

. Information about storage in one common storage facility: Store away from foodstuffs.

. Further information about storage conditions: Protect from heat and direct sunlight.

Store under lock and key and out of the reach of children.

Recommended storage temperature: 5-30°C

. 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 3)

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

# Trade name: Magic-Box E-6 developer for 1 slide film Bleach Fix BX Part 2

(Contd. of page 2)

SECTION 8: Exposure control	
Additional information about desig	<b>n of technical facilities:</b> No further data; see item 7.
8.1 Control parameters	equire monitoring at the workplace:
7681-57-4 sodium metabisulphite (1	
WEL Long-term value: 5 mg/m <sup>3</sup>	
Additional information: The lists va	lid during the making were used as basis.
8.2 Exposure controls	
Personal protective equipment: General protective and hygienic me	23501765*
	to be adhered to when handling chemicals.
Avoid contact with the eyes and skin.	
Keep away from foodstuffs, beverages <b>Respiratory protection:</b> Ensure adec	
Protection of hands:	-
	eable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on con Material of gloves	sideration of the penetration times, rates of diffusion and the degradatio
The selection of the suitable gloves d	loes not only depend on the material, but also on further marks of quality
	anufacturer. As the product is a preparation of several substances, the
resistance of the glove material can n application.	not be calculated in advance and has therefore to be checked prior to the
Butyl rubber, BR	
Nitrile rubber, NBR	
N 1	
Neoprene gloves Penetration time of glove material	
Penetration time of glove material	be found out by the manufacturer of the protective gloves and has to b
<b>Penetration time of glove material</b> The exact break trough time has to b observed.	be found out by the manufacturer of the protective gloves and has to b
<b>Penetration time of glove material</b> The exact break trough time has to b observed. <b>Eye protection:</b> Safety glasses	
<b>Penetration time of glove material</b> The exact break trough time has to b observed.	
Penetration time of glove material The exact break trough time has to b observed. Eye protection: Safety glasses Body protection: Protective work clo	othing
Penetration time of glove material The exact break trough time has to b observed. Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and ch	emical properties
Penetration time of glove material The exact break trough time has to b observed. Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and ch 9.1 Information on basic physical and	emical properties
Penetration time of glove material The exact break trough time has to b observed. Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and ch 9.1 Information on basic physical an General Information	emical properties
Penetration time of glove material The exact break trough time has to b observed. Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and ch 9.1 Information on basic physical an General Information Appearance: Form:	emical properties nd chemical properties Fluid
Penetration time of glove material The exact break trough time has to b observed. Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and ch 9.1 Information on basic physical an General Information Appearance: Form: Colour:	emical properties nd chemical properties Fluid Light yellow
Penetration time of glove material The exact break trough time has to b observed. Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and ch 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour:	emical properties nd chemical properties Fluid Light yellow Sulfurous
Penetration time of glove material The exact break trough time has to b observed. Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and ch 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: pH-value at 20 °C:	emical properties nd chemical properties Fluid Light yellow
Penetration time of glove material The exact break trough time has to b observed. Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and ch 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: pH-value at 20 °C: Change in condition	emical properties nd chemical properties Fluid Light yellow Sulfurous
Penetration time of glove material The exact break trough time has to b observed. Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and ch 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: pH-value at 20 °C:	emical properties nd chemical properties Fluid Light yellow Sulfurous ~5 Undetermined.
Penetration time of glove material The exact break trough time has to b observed. Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and ch 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling ra	emical properties nd chemical properties Fluid Light yellow Sulfurous ~5 Undetermined.
Penetration time of glove material The exact break trough time has to b observed. Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and ch 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point:	emical properties nd chemical properties Fluid Light yellow Sulfurous ~5 Undetermined. ange: > 100 °C
Penetration time of glove material The exact break trough time has to b observed. Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and ch 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: pH-value at 20 °C: Change in condition Melting point/freezing point:	emical properties nd chemical properties Fluid Light yellow Sulfurous ~5 Undetermined. ange: > 100 °C Not applicable.
Penetration time of glove material The exact break trough time has to b observed. Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and ch 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point: Auto-ignition temperature:	emical properties nd chemical properties Fluid Light yellow Sulfurous ~5 Undetermined. ange: > 100 °C Not applicable. Product is not selfigniting.

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

# Trade name: Magic-Box E-6 developer for 1 slide film Bleach Fix BX Part 2

		(Contd. of pag
. Solubility in / Miscibility with		
water:	Fully miscible.	
. Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
. Solvent content:		
Water:	25-50 %	
. 9.2 Other information	No further relevant information available.	

# **SECTION 10: Stability and reactivity**

. 10.1 Reactivity No further relevant information available.

- . 10.2 Chemical stability
- . Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- . 10.3 Possibility of hazardous reactions  $\operatorname{No}$  dangerous reactions known.
- . 10.4 Conditions to avoid No further relevant information available.
- . 10.5 Incompatible materials: No further relevant information available.
- . 10.6 Hazardous decomposition products: Irritant gases/vapours

# **SECTION 11: Toxicological information**

- . 11.1 Information on toxicological effects
- . Acute toxicity Based on available data, the classification criteria are not met.
- . LD/LC50 values relevant for classification:

#### 7631-90-5 sodium bisulphite

- Oral LD50 1540 mg/kg (rat)
- . Primary irritant effect:
- . Skin corrosion/irritation Based on available data, the classification criteria are not met.
- . Serious eye damage/irritation Based on available data, the classification criteria are not met.
- . Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- . CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- . Germ cell mutagenicity Based on available data, the classification criteria are not met.
- . Carcinogenicity Based on available data, the classification criteria are not met.
- . Reproductive toxicity Based on available data, the classification criteria are not met.
- . STOT-single exposure Based on available data, the classification criteria are not met.
- . STOT-repeated exposure Based on available data, the classification criteria are not met.
- . Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- . 12.1 Toxicity
- . Aquatic toxicity: No further relevant information available.
- . 12.2 Persistence and degradability No further relevant information available.
- . 12.3 Bioaccumulative potential No further relevant information available.
- . **12.4 Mobility in soil** No further relevant information available.
- Additional ecological information:
- . General notes:
- Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water . 12.5 Results of PBT and vPvB assessment

- . **PBT:** Not applicable.
- . **vPvB:** Not applicable.

(Contd. on page 5)

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

#### Trade name: Magic-Box E-6 developer for 1 slide film Bleach Fix BX Part 2

(Contd. of page 4)

. 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

. 13.1 Waste treatment methods

- . Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- . European waste catalogue

09 01 05 bleach solutions and bleach fixer solutions

. Uncleaned packaging:

- . Recommendation: Disposal must be made according to official regulations.
- . Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	ation	
. 14.1 UN-Number . ADR, ADN, IMDG, IATA	Void	
. 14.2 UN proper shipping name . ADR, ADN, IMDG, IATA	Void	
. 14.3 Transport hazard class(es)		
. ADR, ADN, IMDG, IATA . Class	Void	
. 14.4 Packing group . ADR, IMDG, IATA	Void	
. 14.5 Environmental hazards: . Marine pollutant:	No	
. 14.6 Special precautions for user	Not applicable.	
. 14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.	
. UN "Model Regulation":	Void	

#### **SECTION 15: Regulatory information**

. 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 65

. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### . Relevant phrases

- H302 Harmful if swallowed.
- . Contact: E: sida@tetenal.com
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

(Contd. on page 6)

EN

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

# Trade name: Magic-Box E-6 developer for 1 slide film Bleach Fix BX Part 2

(Contd. of page 5) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity - oral – Category 4
. * Data compared to the previous version altered.

EN

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

ETENA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### . 1.1 Product identifier

#### . Trade name: <u>Magic-Box E-6 developer for 1 slide film</u> Stabilizer STAB

- . Article number: 100256/4
- . Index number:

#### None of the ingredients is listed.

. **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

. Application of the substance / the mixture Stabilizer bath for photographic use

#### . **1.3 Details of the supplier of the safety data sheet** . **Manufacturer/Supplier:** TETENAL 1847 GmbH Schützenwall 31-35 D-22844 Norderstedt /Germany

Tel.: +49 (0) 40 521 45-0; Fax: +49 (0)40-52145-296 www.tetenal.com; E-mail: info@tetenal.com

. Further information obtainable from: Department product safety. E-Mail: sida@tetenal.com . 1.4 Emergency telephone number: Tetenal Tel.:+49(0) 40 521 45-0 (open: 8am till 4pm)

#### **SECTION 2: Hazards identification**

. 2.1 Classification of the substance or mixture . Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation

The product is not classified, according to the CLP regulation.

- . 2.2 Label elements
- . Labelling according to Regulation (EC) No 1272/2008 Void
- . Hazard pictograms Void
- . Signal word Void
- . Hazard statements

The content is not more than 125 ml. In accordance with Regulation 1272/2008 Annex I, Section 1.5.2.1, only certain labelling elements are obligatory for the packaging in this case. Therefore, the following label elements may not be on the label.

. Additional information:

Contains 1,2-benzisothiazol-3(2H)-one, hexamethylenetetramine. May produce an allergic reaction.

- . Labelling of packages where the contents do not exceed 125 ml
- . Hazard pictograms Void
- . Signal word Void

. Hazard statements Void

- . 2.3 Other hazards
- . Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . **vPvB:** Not applicable.

#### **SECTION 3: Composition/information on ingredients**

#### . 3.2 Chemical characterisation: Mixtures

. Description: Mixture: consisting of the following components.

#### . Dangerous components:

CAS: 100-97-0 hexamethylenetetramine EINECS: 202-905-8 Index number: 612-101-00-2 Reg.nr.: 01-2119474895-20 <1%

(Contd. on page 2)

ΞN

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

# Trade name: Magic-Box E-6 developer for 1 slide film Stabilizer STAB

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one <1% EINECS: 220-120-9 index number: 613-088-00-6 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 . Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

. 4.1 Description of first aid measures

- . General information: Take affected persons out into the fresh air.
- . After inhalation:

Supply fresh air; consult doctor in case of complaints.

- Supply fresh air.
- . After skin contact: Immediately rinse with water.
- . After eye contact: Rinse opened eye for several (15 min) under running water.

. After swallowing: Rinse out mouth and then drink plenty of water.

- . 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.

. 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

. 5.1 Extinguishing media

. Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- . 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- . 5.3 Advice for firefighters
- . Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- . 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation . 6.2 Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- . 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

- . 7.1 Precautions for safe handling No special measures required.
- . Information about fire and explosion protection: No special measures required.

. 7.2 Conditions for safe storage, including any incompatibilities

- . Storage:
- . Requirements to be met by storerooms and receptacles: No special requirements.
- . Information about storage in one common storage facility: Store away from foodstuffs.
- . Further information about storage conditions:
- Protect from heat and direct sunlight.

Store under lock and key and with access restricted to technical experts or their assistants only. Store under lock and key and out of the reach of children.

(Contd. on page 3)

EN

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

# Trade name: Magic-Box E-6 developer for 1 slide film Stabilizer STAB

(Contd. of page 2)

Recommended storage temperature: 5-30°C . 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

. Additional information about design of technical facilities: No further data; see item 7.

#### . 8.1 Control parameters

. Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

. Additional information: The lists valid during the making were used as basis.

#### . 8.2 Exposure controls

- . Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Avoid contact with the eyes and skin.

**Respiratory protection:** 

#### Not required.

Ensure adequate ventilation

#### **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Butyl rubber, BR Nitrile rubber, NBR

Neoprene gloves

#### Penetration time of glove material

Gove material breakthroug-time layer thickness Butyl rubber: ≥480 min ≥0,4mm Nitrile rubber: ≥480 min

≥240 min

≥0,38mm ≥0,65mm

Neoprene: The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eve protection:** Safety glasses

. Body protection: Protective work clothing

#### **SECTION 9: Physical and chemical properties** . 9.1 Information on basic physical and chemical properties . General Information . Appearance: Form: Fluid **Colour:** Colourless Odour: Odourless . Odour threshold: Not determined. Not determined. . pH-value: . Change in condition Melting point/freezing point: $0^{\circ}C$ Initial boiling point and boiling range: 100 °C . Flash point: Not applicable. (Contd. on page 4)

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

# Trade name: Magic-Box E-6 developer for 1 slide film Stabilizer STAB

	(Contd. of page
. Flammability (solid, gas):	Not applicable.
. Decomposition temperature:	Not determined.
. Auto-ignition temperature:	Not determined.
. Explosive properties:	Product does not present an explosion hazard.
. Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
. Vapour pressure at 20 °C:	23 hPa
. Density at 20 °C:	~1 g/cm <sup>3</sup>
. Relative density	Not determined.
. Vapour density	Not determined.
. Evaporation rate	Not determined.
. Solubility in / Miscibility with	
water:	Fully miscible.
. Partition coefficient: n-octanol/water:	Not determined.
. Viscosity:	
Dynamic at 20 °C:	0.952 mPas
Kinematic:	Not determined.
. Solvent content:	
Water:	98-100 %
VOC (EC)	0.00 %
Solids content:	0.0 %
. 9.2 Other information	No further relevant information available.

# **SECTION 10: Stability and reactivity**

. 10.1 Reactivity No further relevant information available.

. 10.2 Chemical stability

. Thermal decomposition / conditions to be avoided: Stable at environment temperature.

- . 10.3 Possibility of hazardous reactions No dangerous reactions known.
- . 10.4 Conditions to avoid No further relevant information available.
- . **10.5 Incompatible materials:** No further relevant information available.
- . 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

#### **SECTION 11: Toxicological information**

. 11.1 Information on toxicological effects

- . Acute toxicity Based on available data, the classification criteria are not met.
- . Primary irritant effect:
- . Skin corrosion/irritation Based on available data, the classification criteria are not met.

. Serious eye damage/irritation Based on available data, the classification criteria are not met.

. Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

. Acute effects (acute toxicity, irritation and corrosivity)

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

The substance is not subject to classification according to the latest version of the EU lists.

. CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

. Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

### Trade name: Magic-Box E-6 developer for 1 slide film Stabilizer STAB

(Contd. of page 4)

- . Carcinogenicity Based on available data, the classification criteria are not met.
- . Reproductive toxicity Based on available data, the classification criteria are not met.
- . STOT-single exposure Based on available data, the classification criteria are not met.
- . STOT-repeated exposure Based on available data, the classification criteria are not met.
- . Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- . 12.1 Toxicity
- . Aquatic toxicity: No further relevant information available.
- . 12.2 Persistence and degradability No further relevant information available.
- . 12.3 Bioaccumulative potential No further relevant information available.
- . 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- . General notes:
- Do not allow product to reach ground water, water course or sewage system.
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- . 12.5 Results of PBT and vPvB assessment
- . **PBT:** Not applicable.
- . **vPvB:** Not applicable.
- . 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### . 13.1 Waste treatment methods

#### . Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

European waste catalogue

09 00 00 WASTES FROM THE PHOTOGRAPHIC INDUSTRY

- 09 01 00 wastes from the photographic industry
- 09 01 99 wastes not otherwise specified

#### . Uncleaned packaging:

- . Recommendation: Disposal must be made according to official regulations.
- . Recommended cleansing agents: Water, if necessary together with cleansing agents.

. 14.1 UN-Number		
. ADR, ADN, IMDG, IATA	Void	
. 14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
. 14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
. Class	Void	
. 14.4 Packing group		
ADR, IMDG, IATA	Void	
. 14.5 Environmental hazards:		
Marine pollutant:	No	

<5%

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2020

version no: 2

Revision: 03.03.2020

# Trade name: Magic-Box E-6 developer for 1 slide film Stabilizer STAB

		(Contd. of page 5
. 14.6 Special precautions for user	Not applicable.	
. 14.7 Transport in bulk according to Ani	nex II of	
Marpol and the IBC Code	Not applicable.	
. UN "Model Regulation":	Void	

#### **SECTION 15: Regulatory information**

. 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

. Labelling according to Regulation (EC) No 1272/2008 GHS label elements

. Directive 2012/18/EU

- . Named dangerous substances ANNEX I Substance is not listed.
- . National regulations:
- . Regulation (EC) No 648/2004 on detergents / Labelling for contents
- non-ionic surfactants

. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### . Relevant phrases

- H228 Flammable solid.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H400 Very toxic to aquatic life.
- . Contact: E: sida@tetenal.com
- . Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Sol. 2: Flammable solids Category 2
- Acute Tox. 4: Acute toxicity oral Category 4
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Dam. 1: Serious eye damage/eye irritation Category 1
- Skin Sens. 1: Skin sensitisation Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
- . \* Data compared to the previous version altered.