Printing date 07.04.2015 Version 2 Revision: 07.04.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: ADOX FX-39

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.

- · Application of the substance / the mixture Photographic developer
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

ADOX Fotowerke GmbH

Pieskower Str. 30 A

D-15526 Bad Saarow

Tel.: +49 (0)33631 6459-0

Fax: +49 (0)33631 6459-190

http://www.adox.de

· Informing department:

Tel.: +49 (0)33631 6459-0 Fax: +49 (0)33631 6459-190 E-mail: info@adox.de

· 1.4 Emergency telephone number: Tel.: 0700-24112112 (CAL)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Void
- · Information concerning particular hazards for human and environment:

Sensitising effect by skin contact is possible by prolonged exposure.

· Classification system:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

Contains 4-(Methylamino)-phenolsulphate, 1,4-dihydroxybenzene (hydroquinone). May produce an allergic reaction.

Safety data sheet available on request.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description**: Mixture of the substances listed below with harmless additions.
- · Dangerous components:

(Contd. on page 2)

Printing date 07.04.2015 Version 2 Revision: 07.04.2015

Trade name: ADOX FX-39

	(Co	ntd. of page 1)
CAS: 584-08-7 EINECS: 209-529-3 Reg.nr.: 01-2119532646-36-xxxx	potassium carbonate Xi R36/37/38 ◆ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	2.0-5.0%
CAS: 111-46-6 EINECS: 203-872-2 Index number: 603-140-00-6 Reg.nr.: 01-2119457857-21-xxxx	2,2'-oxybisethanol Xn R22 ↑ Acute Tox. 4, H302	2.0-5.0%
CAS: 55-55-0 EINECS: 200-237-1 Index number: 650-031-00-4	4-(Methylamino)-phenolsulphate Xn R22-48/22 Xi R43 N R50/53 STOT RE 2, H373 Aquatic Chronic 1, H410 Acute Tox. 4, H302; Skin Sens. 1, H317	0.5-2.0%
CAS: 123-31-9 EINECS: 204-617-8 Index number: 604-005-00-4 Reg.nr.: 01-2119524016-51-xxxx	1,4-dihydroxybenzene (hydroquinone) Xn R22-40-68 Xi R41 Xi R43 N R50 Carc. Cat. 3, Muta. Cat. 3 Muta. 2, H341; Carc. 2, H351 Eye Dam. 1, H318 Aquatic Acute 1, H400 Acute Tox. 4, H302; Skin Sens. 1, H317	0.5-2.0%

· Additional information For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water (> 15 min). Then consult doctor.

- · After swallowing Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire

Sulphur oxides (SOx)

Carbon monoxide

(Contd. on page 3)

(Contd. of page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.04.2015 Version 2 Revision: 07.04.2015

Trade name: ADOX FX-39

· 5.3 Advice for firefighters

· Protective equipment:

Do not inhale explosion gases or combustion gases.

At formation of toxic gases:

Put on breathing apparatus.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- \cdot 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and containers: Keep container tightly sealed.
- · Information about storage in one common storage facility:

Keep away from foodstuffs, beverages and food.

- Further information about storage conditions: Store in a cool place.
- · Recommended storage temperature: 5-25 °C
- · Storage class

LGK 12

(German Technical Rule for Hazardous Substance – TRGS 510)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

111-46-6 2,2'-oxybisethanol

WEL Long-term value: 101 mg/m³, 23 ppm

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals.

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

· Breathing equipment: Not required.

(Contd. on page 4)

Printing date 07.04.2015 Version 2 Revision: 07.04.2015

Trade name: ADOX FX-39

(Contd. of page 3)

· Protection of hands:

Protective gloves.

The protective gloves to be used must comply with the specifications of the EC directive 89/686/ EEC and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Thickness (mm) (min) (min) Nitril rubber 0,38 > 480 Neoprene 0,65 > 240 Butyl rubber 0,36 > 480 Avoid natural rubber gloves.

· As protection from splashes gloves made of the following materials are suitable:

Synthetic gloves

Value for permeation: Level:

 \geq 3 (60 min)

· Eye protection: Safety glasses

· Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid Colourless Clear

Odourless

• Odour: Odo • pH-value at 20 °C: 9.6

· Change in condition

Melting point/Melting range: Not determined Boiling point/Boiling range: > 100 ℃

· Flash point: Not applicable

· **Self-inflammability:** Product is not selfigniting.

• Danger of explosion: Product is not explosive.

· Critical values for explosion:

Oxidising properties None

· Vapour pressure at 20 °C: 23 hPa

· Density at 20 °C 1.07 g/cm³

· Solubility in / Miscibility with

Water: miscible

· Viscosity:

dynamic: Not determined **kinematic:** Not determined

(Contd. on page 5)

Printing date 07.04.2015 Version 2 Revision: 07.04.2015

Trade name: ADOX FX-39

(Contd. of page 4)

· Solvent content:

Organic solvents: 2.1 % Water: ~ 90 %

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Reacts with strong acids
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
111-46-6 2,2'-oxybisethanol			
Oral	LD50	12565 mg/kg (rat)	
Dermal	LD50	11890 mg/kg (rabbit)	
584-08-	7 pota	ssium carbonate	
Oral	LD50	> 2000 mg/kg (rat)	
55-55-0	55-55-0 4-(Methylamino)-phenolsulphate		
Oral	LD50	237 mg/kg (rat)	
Dermal	LD50	> 1000 mg/kg (rat)	
123-31-9 1,4-dihydroxybenzene (hydroquinone)			
Oral	LD50	320 mg/kg (rat)	
Dermal	LD50	>900 mg/kg (rat)	

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- Sensitisation: Sensitising effect by skin contact is possible by prolonged exposure.
- · Subacute to chronic toxicity: No known symptoms to date.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

SECTION 12: Ecological information

· 12.1 Toxicity

	<i>,</i>			
· Aquatic toxicity:				
111-46-6 2,2'-oxybisethanol				
EC50/48 h	> 10000 mg/l (Daphnia magna)			
LC50/96 h	75200 mg/l (Pimephales promelas)			

(Contd. on page 6)

Printing date 07.04.2015 Version 2 Revision: 07.04.2015

Trade name: ADOX FX-39

	(Contd. of page 5)
584-08-7 p	otassium carbonate
EC50/48 h	380-820 mg/l (Daphnia magna)
LC50/96 h	310-750 mg/l (Pimephales promelas)
123-31-9 1	4-dihydroxybenzene (hydroquinone)
EC50/48 h	0.29 mg/l (Daphnia magna)
IC50/72 h	0.335 mg/l (Selenastrum capricornutum)
LC50/96 h	0.044 mg/l (Pimephales promelas)

- · 12.2 Persistence and degradability Not determined
- · 12.3 Bioaccumulative potential Not determined
- · Behaviour in environmental systems: Not determined
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects: No further relevant information available.
- · Behaviour in sewage processing plants: Not determined
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): Water-endangering. Do not allow product to reach ground water, water bodies or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage

Must be specially treated under adherence to official regulations.

· European waste catalogue

09 01 01* water-based developer and activator solutions

- Uncleaned packagings:
- · Recommendation:

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product. EAK-No. 15 01 10

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport inform	nation	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
· ADR	Void	
· ADN, IMDG, IATA	Void	
		(Contd. on page 7

Printing date 07.04.2015 Version 2 Revision: 07.04.2015

Trade name: ADOX FX-39

	(Contd. of page 6)
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group	Void
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
 14.7 Transport in bulk according to Anne of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	-

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations

Class	Share in %		
	0.5		
NK	2.1		

- · Water hazard class: Water hazard class 2 (Self-assessment): water-endangering.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Re	le۱	<i>ı</i> an	ıt r	hi	as	29
пс	16/	aı	ILL	,,,,	аэ	CS

ricicvant	oni ascs
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R22	Harmful if swallowed.
	Irritating to eyes, respiratory system and skin.
R40	Limited evidence of a carcinogenic effect.
R41	Risk of serious damage to eyes.
R43	May cause sensitisation by skin contact.
R48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed.
R50	Very toxic to aquatic organisms.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.

(Contd. on page 8)

Printing date 07.04.2015 Version 2 Revision: 07.04.2015

Trade name: ADOX FX-39

(Contd. of page 7)

Possible risk of irreversible effects.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Muta. 2: Germ cell mutagenicity, Hazard Category 2

Carc. 2: Carcinogenicity, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Sources

Internal physical tests, MSDS of the ingredients,

Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp applicable EEC directives:

- 1999/45
- 1907/2006
- 1272/2008
- · * Data compared to the previous version altered.