Day of issue: 03.01.14 page 1/10

1. Identification of the substance/preparation and of the company

- Identification of the product:

Trade name: SPUR ACUROL-N

- Use of the substance/preparation: photographic developing agent, particularly for pictorial development of black and white films.
- Manufacturer/distributor identification

Manufacturer: SPUR Photochemie

Dr. Heidrich und Schain GbR

Schmiedestr. 31, 52379 Langerwehe

Germany

Tel.:: 0049 (0)2423-6198 Fax: 0049 (0)2423-406980 E-Mail: schain@spur-photo.com

Distributor: SPUR Photochemie

Dr. Heidrich und Schain GbR

Schmiedestr. 31, 52379 Langerwehe

Germany

Tel.:: 0049 (0)2423-6198 Fax: 0049 (0)2423-406980 E-Mail: schain@spur-photo.com

- Further information phone: 0049 (0)2423-6198
- Competent person, responsible for Safety Data Sheet (E-Mail): schain@spur-photo.com (management)
- Emergency telephone (Germany): 0049 (0)30-19240 (Berlin poison control centre for symptoms of intoxication and embryonal toxicology); 0049(0) 6131-19240 (advice centre for poisoning Mainz)

2. Hazards identification

- Classification of the substance or mixture
- Classification according to regulation (EC) No. 1272/2008

Acute Tox. 4; Skin Irrit. 2; Skin sens. 1; Eye Irrit. 2; Muta. 2; Carc. 2; Aqu. Chron. 2

H 302 Harmful if swallowed: H 312 Harmful in contact with skin H 315 Causes skin irritation

H 317 May cause an allergic skin reaction; H 319 Causes serious eye irritation

H 341 Suspected of causing genetic defects; H 351 Suspected of causing cancer

H 411 Toxic to aquatic life with long lasting effects

Day of issue: 03.01.14 page 2/10

- Labelling elements
- Labelling according to regulation (EC) No. 1272/2008

The mixture is classified and labelled according to the CLP Regulation

- Hazard pictograms





GHS 08

GIID

- Signal word: Warning
- Hazard statements

H 302 Harmful if swallowed: H 312 Harmful in contact with skin H 315 Causes skin irritation

H 317 May cause an allergic skin reaction; H 319 Causes serious eye irritation

H 341 Suspected of causing genetic defects; H 351 Suspected of causing cancer

H 411 Toxic to aquatic life with long lasting effects

- Precautionary statements
- P 202 Do not handle until all safety precautions have been read and understood
- P 281 Use personal protective equipment as required
- P 308 + P313 IF exposed or concerned: Get medical advice/attention
- P 405 Store locked up
- P 501 Dispose of contents/container to hazardous waste
- Other hazards
- Results of the PBT and vPvB assessments
- PBT: not applicable
- vPvB: not applicable

3. Composition/Information on ingredients

- Chemical characterisation: aqueous solution
- Hazardous ingredients:

Potassium carbonate: EINECS: 209-529-3; CAS RN: 584-08-7

Percentage: < 2.5 %

Classification according to Regulation (EC) No. 1272/2008: Skin Irrit. 2 H 315; Eye Irrit. 2 H 319; STOT SE 3 H 335

Day of issue: 03.01.14 page 3/10

Trilon C: EINECS: 205-391-3; CAS RN: 140-01-2

Percentage: < 1.4 %

Classification according to Regulation (EC) No. 1272/2008:

Acute Tox. (inhalative) 4 H 332; Repr. Lact. 2 H 361

Hydroquinone sulfonic acid (potassium salt): EINECS: 244-584-7; CAS RN: 21799-87-1

Percentage: < 1 %

Classification according to Regulation (EC) No. 1272/2008:

Eye Irrit. 2 H 319; Skin Sens. 1 H 317

4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone: EINECS: 235-920-3; CAS RN: 13047-13-7

Percentage: < 0.05 %

Classification according to Regulation (EC) No. 1272/2008:

Acute Tox. 4 H 302; Skin Sens. 1 H 317; Aquatic Chronic 2 H 411

1-Phenyl-3-pyrazolidinone: EINECS: 202-155-1, CAS RN: 92-43-3

Percentage: < 0.01 %

Classification according to Regulation (EC) No. 1272/2008:

Acute Tox. 4 H 302; Aquatic Chronic 2 H 411

Potassium Thiocyanate: EINECS: 206-370-1; CAS RN: 333-20-0

Percentage: < 0.5 %

Classification according to Regulation (EC) No. 1272/2008: Acute Tox. 4 H 302; H 312; H 332; Aquatic Chronic 3 H 412

Hydroquinone (1.4-Dihydroxybenzene): EINECS: 204-617-8; CAS RN: 123-31-9

Percentage: < 2.5 %

Classification according to Regulation (EC) No. 1272/2008:

Carc.2 H 351; Muta 2 H 341; Acute Tox. 4 H 302: Eye Dam. 1 H 318; Skin Sens. 1 H 317;

Aquatic Acute. 1 H 400

4-Methylaminophenol sulfate: EINECS:200-237-1: CAS RN 55-55-0

Percentage: < 0.4 %

Classification according to Regulation (EC) No. 1272/2008:

STOT RE 2 H 373; Aquatic Acute 1 H 400; Aquatic Chronic 1 H 410; Acute Tox. 4 H 302; Skin

Sens.1 H 317

Sodium Hydroxide: EINECS 215-185-5; CAS RN: 1310-73-2

Percentage: < 2.5 %

Classification according to Regulation (EC) No. 1272/2008:

Met. Corr. 1 H 290; Skin corr. 1A H 314

- Additional reference: The wording of the hazard warnings can be looked up under section 16.

Day of issue: 03.01.14 page 4/10

4. First-aid measures

- General information: Remove items of clothing contaminated by the product immediately.
- Inhalation: Move affected person to fresh air and keep at rest. In case of persistent complaints seek medical advice.
- Skin contact: Wash off thoroughly with plenty of water.
- Eye contact: Remove contact lenses, open eyelids, flush thoroughly with water and consult a doctor.
- Ingestion: If swallowed, rinse mouth and drink plenty of water. Do not induce vomiting. Seek medical advice.
- Special information for your doctor: None.

5. Fire-fighting-measures

- Suitable extinguishing media: CO2, extinguishing powder, water spray. Fight larger fires with water spray jets or alcohol-resistant foam.
- Non suitable extinguishing media: None
- Specific Hazards: Hazardous combustion products: sulphur dioxide
- Protective equipment: Do not inhale explosion and combustion gases. Wear breathing apparatus and protective clothing.
- Particular fire and explosion hazards: None

6. Accidental release measures

- Personal precautions: Provide for sufficient ventilation.
- Environmental precautions: Do not empty into drains; prevent the product from contaminating surface or ground water. If waters or sewage are contaminated, report to the competent authorities. Dilute with plenty of water.
- Methods for cleaning up: Absorb with a liquid-binding agent (sand, mountain flour, sSurebinder, universal binding agent, sawdust). Sweep up and store in suitable container, dispose of contaminated material as waste labelled according to waste law in force.
- Additional information: Flush residues with water.

7. Handling and storage

- Handling:

- Safe handling: Provide for proper ventilation in work area. Avoid long-term and repeated skin contact; no special measures required if used properly.
- Fire and explosion control: No special measures required.

Day of issue: 03.01.14 page 5/10

- Storage:

- Storage facilities and containers: No specific requirements.
- Storage with other substances: Do not store with acids, strong oxidants, and food.

- Further information on storage conditions:

- Store in well-sealed containers cool and dry. Store away from heat and direct sunlight. Do not expose to light. Keep locked up and out of reach of children. Recommended storage temperature: 5 to 15° C / 41 to 59° F.

- Storage class:

- Classification according to Ordinance on Industrial Safety and Health: not applicable

8. Exposure controls/personal protection

- Additional information for system design: None
- Components with workplace-specific control parameters: None

- Personal protective equipment:

General protection and hygiene measures: Wash hands before breaks and end of work. Do not inhale gases, vapours, or aerosols. Avoid skin and eye contact.

Respiratory protection: Not required.

Hand Protection: Wear protective gloves made from materials impermeable and resistant to the product/substance/preparation. The materials have to be chosen with due regard to penetration times, permeation rates, and degradation.

Glove material: The choice of a suitable glove not only depends on the material, but also on further quality features and may vary from manufacturer to manufacturer. As the product is a preparation composed of a number of substances, the stability of the glove materials is not predictable and, therefore, needs to be tested before use. The liquid tightness of the glove has to be tested before it is used again. Due to a lack of testing, no glove material can be recommended for the product/substance/preparation.

Penetration time of the glove material: The exact breakthrough time can be given by the protective gloves manufacturer and is to be observed.

Eye Protection: Wear safety goggles.

Skin/body protection: Wear protective clothing.

Day of issue: 03.01.14 page 6/10

9. PHYSICAL AND CHEMICAL PROPERTIES

- General information	
Form:	liquid
Colour:	light brown up to dark brown
Odour:	specific
- Change of state	
Melting point / melting range	not determined
Boiling point / boiling range	> 100° C
- Flash point	not applicable
- Auto-flammability	no ~
- Explosion hazard	no ~
- Vapour pressure at 20° C	not specified
- Density at 20° C	1.18 g/cm^3
- Solubility in / miscibility with water	complete
-pH-value at 20° C	11,2
- Solvent content	
Organic solvent:	0.0 %
Water:	74.7 %
VOC (EC):	0.0 %
- Solids content:	25.3 %

10. Stability and reactivity

- Thermal decomposition/conditions to avoid: No decomposition when used properly.
- Materials to avoid: Strong acids and oxidising agents
- Hazardous reactions: No hazardous reactions known.
- Hazardous decomposition products: no hazardous decomposition products known.

11. Toxicological information

- Acute toxicity

Neute toxicity				
- Classification relevant LD/LC50 values:				
123-31-9 Hydroquinone				
Oral:	LD50	320 mg/kg (rat)		
13047-13-7 4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone				
Oral:	LD50	1000 mg/kg (rat)		
Dermal:	LD50	> 2000 mg/kg (rat)		
140-01-2 Trilon C				
Oral:	LD50	4550 mg/kg (rat)		
Dermal:	LD50	> 2000 mg/kg (rat)		
Inhalative:	LC50	4 h 1000 – 5000 mg/m³(rat)		
55-55-0 4-Methylaminophenol sulfate				
Oral:	LD50	237 mg/kg (rat)		
Dermal:	LD50	> 1000mg/kg (rat)		

Day of issue: 03.01.14 page 7/10

333-20-0 Potassium Thiocyanate				
Oral:	LD50	854 mg/kg (rat)		
1310-73-2 Sodium Hydroxide				
Oral:	LD50	2000 mg/kg (rat)		
584-08-7 Potassium carbonate				
Oral:	LD50	> 2000 mg/kg (rat)		
92-43-3 1-Phenyl-3-pyrazolidinone				
Oral:	LD50	200 mg/kg (rat)		
21799-87-1 Hydroquinone sulfonic acid (potassium salt)				
Oral:	LD50	> 10000 mg/kg (rat)		

- Primary irritant effect:
- Skin: Irritant effect.
- Eye: Irritant effect.
- Sensitisation: May cause sensitisation by skin contact

Dermal: LD50 > 5000 mg/kg (rabbit)

12. Ecological information

- Ecotoxicity

- Ecotoxicity			
- Aquatic toxicity			
55-55-0 4-Methylaminophenol sulfate			
EC50	72h: 10 mg/l (algae)		
EC50	48h: 0.02 mg/l (Invertebrates)		
LC50	96h: 0.25 mg/l (fathead minnow)		
1310-73-2 Sodium Hydroxide			
EC50	48h: 40.4 mg/l (crustacea)		
LC50	96h: 196 mg/l (fish)		
123-31-9 Hydroquinone			
EC50	48h: 0.29 mg/l (daphnia magna)		
LC50	96h: 0.044 mg/l (Pimepales promelas)		
13047-13-7 4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone			
EC50	24h: 7.1 ppm (Daphnia magna)		
LC50	1 − 10 mg/l (fish fathead minnow / Pimephales promelas)		
LC50	35 mg/l (fish ide / Leuciscus idus auratus Bade)		
LC50	96h: 32 ppm (fish rainbow trout / Onchorhynchus mykiss)		
333-20-0 Potassium Thiocyanate			
EC50	48h: 11 mg/l (Daphnia magna)		
LC50	96h: 100 mg/l (Onchorhynchus mykiss)		
92-43-3 1-Phenyl-3-pyrazolidinone			
LC50	96h: 5 mg/l (Pimepales promelas, fish)		
D	els: Toyin to figh		

- Remark: Toxic to fish
- General Information:

Water hazard class 2 (self-assessment according to VwVwS(German administrative regulation regarding water pollutants)): Hazardous to water.

Do not empty into drains; do not let product contaminate ground water, waters or sewage.

Toxic to aquatic organisms.

D 01 02 04 44

Day of issue: 03.01.14 page 8/10

13. Disposal considerations

- Product:
- Recommendation: Do not dispose of the product through household waste. Do not let product contaminate sewage.
- European Waste Directory

090101 | water-based developer and activator solutions

- Uncleaned packaging:
- Recommendation: Disposal according to official regulations and requirements.
- Recommended cleaning agent: Water, if necessary, with cleaning agent.

14. Transport information

- Land transport ADR/RID and GGVS/GGVE (cross-border/inland):
- ADR/GGVS/E class: No dangerous good, not classified
- Maritime transport IMDG/GGVSea:
- IMDG/GGVSea-class: No dangerous good, not classified
- Marine pollutant: No
- Air transport ICAO-TI and IATA-DGR:
- ICAO/IATA class: No dangerous good, not classified
- UN "Model Regulation": No dangerous good, not classified

15. Regulatory information

Designation according to EC guidelines:

The mixture is classified and labelled according to the CLP Regulation (EC) No. 1272/2008:

- Hazard pictograms



GHS 08



GHS 07

- Signal word: Warning
- Hazard statements

H 302 Harmful if swallowed: H 312 Harmful in contact with skin H 315 Causes skin irritation

- H 317 May cause an allergic skin reaction; H 319 Causes serious eye irritation
- H 341 Suspected of causing genetic defects; H 351 Suspected of causing cancer
- H 411 Toxic to aquatic life with long lasting effects

Day of issue: 03.01.14 page 9/10

- Precautionary statements
- P 202 Do not handle until all safety precautions have been read and understood
- P 281 Use personal protective equipment as required
- P 308 + P313 IF exposed or concerned: Get medical advice/attention
- P 405 Store locked up
- P 501 Dispose of contents/container to hazardous waste

Special designation of certain preparations: -

National regulations:

Classification according to Ordinance on Industrial Safety and Health (BetrSichV): -

Water hazard class (according VwVwS): Water hazard class 2 (self-assessment): hazardous to water

16. Other information

The data given in this safety data sheet is based on our present knowledge. It does not guarantee any specific product features and does not establish a contractual legal relationship.

- Relevant H statements:

H 290	May be corrosive to metals
H 302	Harmful if swallowed
H 312	Harmful in contact with skin
H 314	Causes severe skin burns and eye damage
H 315	Causes skin irritation
H 317	May cause an allergic skin reaction
H 318	Causes serious eye damage
H 319	Causes serious eye irritation
H 332	Harmful if inhaled
H 335	May cause respiratory irritation
H 341	Suspected of causing genetic defects
H 351	Suspected of causing cancer
H 361	Suspected of damaging fertility or the unborn child
H 373	May cause damage to organs through prolonged or repeated exposure
H 400	Very toxic to aquatic life
H 410	Very toxic to aquatic life with long lasting effects
H 411	Toxic to aquatic life with long lasting effects
H 412	Harmful to aquatic life with long lasting effects

- Responsible for data sheet: management
- Person of contact: Dipl.-Ing. Heribert Schain

Day of issue: 03.01.14 page 10/10

- Abbreviations and Acronyms

ADR: Accord europeen sur le transport des merchandises Dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Reglement internationale concernent le transport des merchandises dangereuses par chemin de

fer (Regulations concerning the international Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

VOC: Volatile Organic Compounds (USA, EC)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

LDLo Lethal dose low

EC50 half maximal effective concentration