

**SECTION1. Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Product code : B/W KIT INVERSIONE CHIARIFICATORE It. 1  
Trades code : B/W KITINV C

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Photographic Process

Sectors of use:

Professional use[SU22]

Product category:

Photochemicals

Process categories:

Mixing or blending in batch processes for formulation of preparations\* and articles (multistage and/or significant contact)[PROC5]

Uses advised against

Do not use for purposes other than those listed

**1.3. Details of the supplier of the safety data sheet**

BELLINI FOTO S.r.l.

VIA FERRIERA, 68 - 06089 - TORGIANO - PERUGIA

ITALY

Tel +39 075 985 174 Fax +39 075 985 288

E-mail:info@bellinifoto.it - Web: www.bellinifoto.it

E-mail technical assistance: enrico.pompili@bellinifoto.it

Produced by

BELLINI FOTO S.r.L.

Via Ferriera, 68 06089 TORGIANO - PG - ITALY Tel. +39 075 985174

**1.4. Emergency telephone number**

Bellini Foto S.r.l. (PG) - Tel . +39 075 985 174

**SECTION2. Hazards identification**

**2.1. Classification of the substance or mixture**

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS05

Hazard Class and Category Code(s):

Skin Corr. 1, Eye Dam. 1

Hazard statement Code(s):

H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

Corrosive product: causes severe skin burns and eye damage.

If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

**2.2. Label elements**

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

GHS05 - Danger

Hazard statement Code(s):

H314 - Causes severe skin burns and eye damage.

Supplemental Hazard statement Code(s):

not applicable



**Precautionary statements:****Prevention**

P280 - Wear protective gloves protective clothing eye protection face protection.

**Response**

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor if symptoms persist

**2.3. Other hazards**

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII The use of this chemical agent involves the obligation of "risk assessment" by the employer in accordance with Dlgs. April 9, 2008 # 81. Workers exposed to this chemical agent should not be subjected to health surveillance if the results of the risk assessment show that, in relation to the type and quantity of hazardous chemical agent and that agent exposure frequency and mode, you just a "moderate risk" for the health and safety of workers and that the measures laid down in the decree are sufficient to reduce the risk.

**SECTION3. Composition/information on ingredients****3.1 Substances**

Irrilevant

**3.2 Mixtures**

No substance to signal.

**SECTION4. First aid measures****4.1. Description of first aid measures****Inhalation:**

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

**Direct contact with skin (of the pure product):**

Take contaminated clothing Immediately off.

In case of contact with skin, wash immediately with water.

Consult a physician immediately

**Direct contact with eyes (of the pure product):**

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

**Ingestion:**

Drink water with egg white; do not give bicarbonate.

Absolutely do not induce vomiting or emesis. Seek medical advice immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

No data available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Immediately call a doctor if symptoms persist

**SECTION5. Firefighting measures****5.1. Extinguishing media****Advised extinguishing agents:**

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

### **5.2. Special hazards arising from the substance or mixture**

No data available.

### **5.3. Advice for firefighters**

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

## **SECTION6. Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

### **6.2. Environmental precautions**

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.

Discharge the remains in compliance with the regulations

### **6.3. Methods and material for containment and cleaning up**

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

### **6.4. Reference to other sections**

Refer to paragraphs 8 and 13 for more information

## **SECTION7. Handling and storage**

### **7.1. Precautions for safe handling**

Avoid contact and inhalation of vapors

Wear protective gloves protective clothing eye protection face protection.

At work do not eat or drink.

See also paragraph 8 below.

### **7.2. Conditions for safe storage, including any incompatibilities**

Keep in original container closed tightly. Do not store in open or unlabeled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool place, away from sources of heat and `direct exposure of sunlight.

**7.3. Specific end use(s)**

Professional use:  
 Photographic and cinematographic treatment

**SECTION 8. Exposure controls/personal protection**
**8.1. Control parameters**

No data available.

**8.2. Exposure controls**


Appropriate engineering controls:

Professional use:

For the selection of suitable gloves pi, see the pericolosit class belongs to the prepared (section 2), refer to the risk assessment from you made and, where appropriate, consult the supplier for the choice of suitable protective material pi. Avoid contact with skin when handling the substance or the preparation or mixture by wearing protective gloves and protective clothing appropriate for the risk of the operation. Use chemical resistant gloves. In case of prolonged immersion or repeated contact:

Material Thickness curing time

Nitrile rubber > = 0.38 mm > 480 min

Neoprene > = 0.65 mm > 240 min

butyl rubber > = 0.36 mm > 480 min

Avoid natural rubber gloves.

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

**SECTION 9. Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

Physical and chemical properties	Value	Determination method
Appearance	Liquid	
Odour	Irrilevant	
Odour threshold	non pertinente	
pH	12.71 ± 0.05 A 20 °C	
Melting point/freezing point	Irrilevant	
Initial boiling point and boiling range	> 100 °C	
Flash point	non flammable	ASTM D92
Evaporation rate	Irrilevant	
Flammability (solid, gas)	Irrilevant	

Physical and chemical properties	Value	Determination method
Upper/lower flammability or explosive limits	Irrilevant	
Vapour pressure	Irrilevant	
Vapour density	Irrilevant	
Relative density	1.074 ± 0.005 g/cm <sup>3</sup> a 20 °C	
Solubility	in water	
Water solubility	Complete	
Partition coefficient: n-octanol/water	Irrilevant	
Auto-ignition temperature	Irrilevant	
Decomposition temperature	Irrilevant	
Viscosity	Irrilevant	
Explosive properties	not explosive	
Oxidising properties	non-oxidizing	

**9.2. Other information**

No data available.

**SECTION 10. Stability and reactivity****10.1. Reactivity**

No reactivity hazards

**10.2. Chemical stability**

No hazardous reaction when handled and stored according to provisions.

**10.3. Possibility of hazardous reactions**

There are no hazardous reactions

**10.4. Conditions to avoid**

Nothing to report

**10.5. Incompatible materials**

It can generate inflammable gases to contact with halogenated organic substances, elementary metals.

**10.6. Hazardous decomposition products**

Does not decompose when used for intended uses.

**SECTION 11. Toxicological information****11.1. Information on toxicological effects**

ATE(mix) oral = ∞

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: based on available data, the classification criteria are not met.

(b) skin corrosion/irritation Corrosive product: causes severe skin burns and eye damage.

- (c) serious eye damage/irritation: Corrosive product: causes severe skin burns and eye damage. - If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.
- (d) respiratory or skin sensitization: based on available data, the classification criteria are not met.
- (e) germ cell mutagenicity: based on available data, the classification criteria are not met.
- (f) carcinogenicity: based on available data, the classification criteria are not met.
- (g) reproductive toxicity: based on available data, the classification criteria are not met.
- (h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.
- (i) specific target organ toxicity (STOT) repeated exposure based on available data, the classification criteria are not met.
- (j) aspiration hazard: based on available data, the classification criteria are not met.

**SECTION 12. Ecological information****12.1. Toxicity**

Use according to good working practices to avoid pollution into the environment.

**12.2. Persistence and degradability**

No data available.

**12.3. Bioaccumulative potential**

No data available.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

**12.6. Other adverse effects**

No adverse effects

**SECTION 13. Disposal considerations****13.1. Waste treatment methods**

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Operate according to local or national regulations

**SECTION 14. Transport information****14.1. UN number**

ADR/RID/IMDG/ICAO-IATA: 1824

ADR exemption because compliance with the following characteristics:

Combination packagings: per inner packaging 5 L per package 30 Kg

Inner packagings placed in shrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg

**14.2. UN proper shipping name**

ADR/RID/IMDG: IDROSSIDO DI SODIO IN SOLUZIONE

ADR/RID/IMDG: SODIUM HYDROXIDE SOLUTION

ICAO-IATA: SODIUM HYDROXIDE SOLUTION



**14.3. Transport hazard class(es)**

ADR/RID/IMDG/ICAO-IATA: Class : 8  
ADR/RID/IMDG/ICAO-IATA: Label : Limited quantities  
ADR: Tunnel restriction code : E  
ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 L  
IMDG - EmS : F-A, S-B

**14.4. Packing group**

ADR/RID/IMDG/ICAO-IATA: III

**14.5. Environmental hazards**

ADR/RID/ICAO-IATA: Product is not environmentally hazardous  
IMDG: Marine polluting agent : Not

**14.6. Special precautions for user**

The transport must be carried out by authorised vehicles carrying dangerous goods in accordance with the requirements of the current edition of the agreement A.D.R. applicable national provisions.

The transport must be carried out in the original packaging and in packages that are made from materials resistant to the content and not likely to generate with this dangerous reactions. Employees to the loading and unloading of dangerous goods have received proper training on the risks presented by prepared and on possible procedures to be taken in the event of emergency situations

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

It is not intended to carry bulk

**SECTION15. Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Legislative Decree. 02/03/1997 n. 52 (Classification, packaging and labeling of dangerous substances). Legislative Decree 14/03/2003 n. 65 (Classification, packaging and labeling of dangerous substances). Legislative Decree. 02/02/2002 n. 25 (Risks related to chemical agents at work). D.M. 26/02/2004 Work (Exposure Limits Professional); D.M. 03/04/2007 (Implementation of Directive n. 2006/8 / EC). Regulation (EC) No. 1907/2006 (REACH), Regulation (EC) No. 1272/2008 (CLP), Regulation (EC) 790 / 2009.D.Lgs. September 21, 2005 n. 238 (Seveso Ter).  
REGULATION (EU) No 1357/2014 - waste:  
HP8 - Corrosive

**15.2. Chemical safety assessment**

The supplier has made an assessment of chemical safety

**SECTION16. Other information****16.1. Other information**

Classification based on data of all mixture components

Main normative references:

Directive 1999/45/EC

Directive 2001/60/EC

Regulation 1272/2008/EC

Regulation 2010/453/EC

Regolamento529/2012 and subsequent updates

This data sheet cancels and replaces any previous edition.