

ILFORD PHOTO

HARMAN technology Ltd

SAFETY DATA SHEET

Perceptol Developer (Part A)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Perceptol Developer (Part A)
Product No. 1960529
Internal Id 10024
Container size 7g

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Photographic Developer

1.3. Details of the supplier of the safety data sheet

Supplier Distributors
UK: HARMAN technology Ltd, Ilford Way,
Mobberley, Cheshire, WA16 7JL, UK Tel: 01565
650000, Fax: 01565 872734.
(<http://www.harmanotechnology.com>)
Australia: CR Kennedy & Co Pty Ltd, 663 Chapel
Street, South Yarra, Victoria 3141, Australia. Tel:
03 9823 1555, Fax: 03 9827 7216
Contact Person UK: HS&E Advisor Dr Trevor Rhodes Tel: +44(0)1565 650000, email:
trevor.rhodes@harmanotechnology.com Australia: Contact Distributor (<http://www.crkennedy.com.au>) Tel
+61 (0)3 9823 1555

1.4. Emergency telephone number

Swiss Toxicological Information Centre (24 hours) Tel: +41 (0)1 251 5151, Fax: +41 (0)1 252 8833 E-mail: stic@access.ch, Internet:
www.toxi.ch

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Xn;R48/22. R43. N;R50/53.

2.2. Label elements

Contains bis(4-HYDROXY-N-METHYLANILINIUM) SULPHATE

Labelling



Harmful



Dangerous for the environment

Risk Phrases

R43	May cause sensitisation by skin contact.
R48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Perceptol Developer (Part A)

Safety Phrases

S2	Keep out of the reach of children.
S22	Do not breathe dust.
S24	Avoid contact with skin.
S36/37	Wear suitable protective clothing and gloves.
S46	If swallowed, seek medical advice immediately and show this container or label.
S61	Avoid release to the environment. Refer to special instructions/safety data sheets.
S64	If swallowed, rinse mouth with water (only if the person is conscious).

2.3. Other hazards

No information available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

bis(4-HYDROXY-N-METHYLANILINIUM) SULPHATE		70-90%
CAS-No.: 55-55-0	EC No.: 200-237-1	
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Acute Tox. 4 - H302	Xn;R22,R48/22	
Skin Sens. 1 - H317	R43	
STOT RE 2 - H373	N;R50/53	
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition Comments

Hazardous according to the criteria of Worksafe Australia

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion

Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water.

Contact physician if irritation continues.

Eye contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if irritation persists.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

No specific symptoms noted.

Ingestion

No specific symptoms noted.

Skin contact

May cause sensitisation by skin contact.

Eye contact

Irritation of eyes and mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Perceptol Developer (Part A)

No specific first aid measures noted.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

Specific hazards

In case of fire, toxic gases may be formed (COx, NOx).

5.3. Advice for firefighters

Special Fire Fighting Procedures

Avoid breathing fire vapours.

Protective equipment for fire-fighters

Use protective equipment appropriate for surrounding materials. Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes. Provide adequate ventilation.

6.2. Environmental precautions

Do not discharge into drains, water courses or onto the ground. The product should not be dumped in nature but collected and delivered according to agreement with the local authorities.

6.3. Methods and material for containment and cleaning up

For waste disposal, see section 13. Small quantities may be flushed to drains with plenty of water. Prevent discharge of larger quantity to drain. Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel, broom or the like. Wash contaminated area with water. Do not let washing down water contaminate ponds or waterways.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Provide good ventilation. Avoid spilling, skin and eye contact. Do not eat, drink or smoke when using the product. Read and follow manufacturer's recommendations.

7.2. Conditions for safe storage, including any incompatibilities

Store in closed original container in a dry place. Store under well-ventilated conditions at a temperature below 25°C.

Storage Class

Chemical storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Perceptol Developer (Part A)

8.2. Exposure controls

Protective equipment



Engineering measures

Provide adequate general and local exhaust ventilation.

Respiratory equipment

Wear suitable respiratory protection.

Hand protection

Use protective gloves.

Eye protection

Use eye protection.

Other Protection

Wear appropriate clothing to prevent reasonably probable skin contact.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Powder, dust
Colour	Cream. Brown.
Odour	No characteristic odour.
Solubility	Soluble in water. 100%
pH-Value, Conc. Solution	4

9.2. Other information

Not available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under the prescribed storage conditions. No particular stability concerns.

10.3. Possibility of hazardous reactions

Hazardous Polymerisation

Will not polymerise.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials To Avoid

Avoid contact with other photographic solutions and/or cleaning compounds.

10.6. Hazardous decomposition products

Fire or high temperatures create: Vapours/gases/fumes of: Oxides of: Carbon. Nitrogen.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Perceptol Developer (Part A)

Toxicological information

This chemical formulation has not been tested for health effects. Exposure effects listed are based on existing health data for the individual components that comprise the mixture.

Inhalation

Dust may irritate respiratory system or lungs.

Ingestion

May cause discomfort if swallowed. Harmful: danger of serious damage to health by prolonged exposure if swallowed.

Skin contact

Powder may irritate skin. May cause sensitisation by skin contact. May cause allergic contact eczema.

Eye contact

Irritation of eyes and mucous membranes. Repeated exposure may cause chronic eye irritation.

Health Warnings

Prolonged or repeated exposure may cause severe irritation. May cause skin irritation/eczema. May cause sensitisation by skin contact. Dust may irritate respiratory system or lungs. May cause allergy. May cause hypersensitivity.

Route of entry

Inhalation. Ingestion. Skin and/or eye contact.

Medical Considerations

May aggravate existing: Skin disorders and allergies. Pre-existing eye problems.

Toxicological information on ingredients.

bis(4-HYDROXY-N-METHYLANILINIUM) SULPHATE (CAS: 55-55-0)

Toxic Dose 1 - LD 50

237 mg/kg (oral rat)

Toxic Dose 2 - LD 50

>1000 mg/kg (skn-rat)

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Dangerous for the environment: May cause long-term adverse effects in the aquatic environment.

Ecological information on ingredients.

bis(4-HYDROXY-N-METHYLANILINIUM) SULPHATE (CAS: 55-55-0)

LC 50, 96 Hrs, Fish mg/l

0.25

EC 50, 48 Hrs, Daphnia, mg/l

0.02

IC 50, 72 Hrs, Algae, mg/l

10

12.2. Persistence and degradability

Degradability

There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

12.4. Mobility in soil

Perceptol Developer (Part A)

Mobility:

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

The disposal process for this product when it becomes waste, depends largely upon how much (volume) waste is generated, where the waste is generated (location) and by whom (whether in a professional or amateur or other capacity). Therefore only outline guidance can be provided. For detailed guidance and specialist advice on the disposal of this product when it becomes waste, please visit the COPPICE web site at <http://www.pic.uk.net/coppice/index.htm>. The information is relevant to both professional and amateur users.

13.1. Waste treatment methods

Used, diluted, and spent solutions may be allowed to be discharged to sanitary sewer by permit IF allowed by local regulations. Consult your local authority for advice. Waste may have to be pre-treated before discharge. Consult local authorities before discharging any waste to sewer. Do not discharge to septic system. Waste that cannot be discharged to sewer may have to be handled by a licensed hazardous waste contractor.

SECTION 14: TRANSPORT INFORMATION

General LIMITED QUANTITY EXEMPTION

14.1. UN number

UN No. (ADR/RID/ADN)	3077
UN No. (IMDG)	3077
UN No. (ICAO)	3077

14.2. UN proper shipping name

Proper Shipping Name	UN3077, Environmentally hazardous substance, solid, n.o.s. (contains bis-(4-hydroxy-N-methylanilinium) sulphate)
----------------------	--

14.3. Transport hazard class(es)

ADR/RID/ADN Class	9(M7)
ADR/RID/ADN Class	Class 9: Miscellaneous dangerous substances and articles.
ADR Label No.	9
IMDG Class	9
ICAO Class/Division	9

Transport Labels



14.4. Packing group

ADR/RID/ADN Packing group	III
IMDG Packing group	III
ICAO Packing group	III

Perceptol Developer (Part A)

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant



14.6. Special precautions for user

EMS	F-A, S-F
Hazard No. (ADR)	90 Environmentally hazardous substance; miscellaneous dangerous substances.
Tunnel Restriction Code	(E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply. Worksafe Australia NOHSC 2012: Labelling of workplace substances. Australian Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP). Australian Approved Criteria for Classifying Hazardous Substances (NOHSC 1008). Australian List of Designated Hazardous Substances (NOHSC 10005). Australian National Code of Practice for the Preparation of Material safety Data Sheets (NOHSC 2011)

Guidance Notes

CHIP for everyone HSG(108).

EU Legislation

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. EU COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010.

National Regulations

Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments. Workplace Exposure Limits 2007 (EH40) The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 No 716

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

General information

HARMAN technology Ltd believe the information and recommendations contained herein are based on correct and factual data. However, no express or implied guarantee or warranty of any kind is made with respect to this information. Use this information only to supplement other information you have gathered and then make an independent determination about the completeness and suitability of all information to ensure the proper use and disposal of this product and the health and safety of employees and customers.

Information Sources

European Photographic Chemical Industry Code of Practice For Classification And Labelling Material Safety Data Sheet, Misc. manufacturers. Dangerous Properties of Industrial Chemicals, 6.edition, N.Sax, 1984.

Issued By HS&E Advisor Dr Trevor Rhodes Tel: +44(0)1565 650000, email: trevor.rhodes@harmantechnology.com

Revision Date 19/11/2013

Revision 8

Supersedes date 13/09/2010

Perceptol Developer (Part A)

Risk Phrases In Full

R22	Harmful if swallowed.
R48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed.
R43	May cause sensitisation by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Hazard Statements In Full

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H373	May cause damage to organs <<Organs>> through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.