

SECTION1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product code : E 6 CONDIZIONATORE
Trades code : E 6 CONDIZIONATORE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Photographic Process

Sectors of use:

Professional use[SU22]

Product category:

Photochemicals

Process categories:

Mixing or blending in batch processes for formulation of preparations* and articles (multistage and/or significant contact)[PROC5]

Uses advised against

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

BELLINI FOTO S.r.l.
VIA FERRIERA, 68 - 06089 - TORGIANO - PERUGIA
ITALY
Tel +39 075 985 174 Fax +39 075 985 288

E-mail:info@bellinifoto.it - Web: www.bellinifoto.it
E-mail technical assistance: enrico.pompili@bellinifoto.it

Produced by
BELLINI FOTO S.r.L.
Via Ferriera, 68 06089 TORGIANO - PG - ITALY Tel. +39 075 985174

1.4. Emergency telephone number

Bellini Foto S.r.l. (PG) - Tel . +39 075 985 174

SECTION2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

None

Hazard Class and Category Code(s):

Nonhazardous

Hazard statement Code(s):

Nonhazardous

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

None

Hazard statement Code(s):

Nonhazardous

Supplemental Hazard statement Code(s):

EUH210 - Safety data sheet available on request.

Precautionary statements:

None in particular.

2.3. Other hazards

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII
No information on other hazards

SECTION3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

| Substance | Concentration | Classification | Index | CAS | EINECS | REACH |
|-------------|---------------|---|--------------|---------|-----------|----------------------|
| Edetic acid | > 1 <= 5% | Eye Irrit. 2, H319; Acute Tox. 4, H332; STOT RE 2, H373 | 607-429-00-8 | 60-00-4 | 200-449-4 | 01-2119486 399-18 |

SECTION4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area.
If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Wash thoroughly with soap and running water.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water for at least 10 minutes.

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus
Safety helmet and full protective suit.
The spray water can be used to protect the people involved in the extinction
You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)
Keep containers cool with water spray

SECTION6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

6.1.1 For non-emergency personnel:
Leave the area surrounding the spill or release. Do not smoke
Wear gloves and protective clothing
6.1.2 For emergency responders:
Eliminate all unguarded flames and possible sources of ignition. No smoking.
Provision of sufficient ventilation.
Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.
If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.
Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:
Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.
Prevent it from entering the sewer system.
6.3.2 For cleaning up:
After wiping up, wash with water the area and materials involved
6.3.3 Other information:
None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION7. Handling and storage**7.1. Precautions for safe handling**

Avoid contact and inhalation of vapors
At work do not eat or drink.
See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool place, away from sources of heat and direct exposure of sunlight.

7.3. Specific end use(s)

Professional use:
Photographic and cinematographic treatment

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances:
 Edetic acid:
 For this material have not been established exposure limits.
 - Substance: Edetic acid
 DNEL
 Systemic effects Long term Consumers inhalation = 1,5 (mg/m³)
 Systemic effects Long term Consumers oral = 25 (mg/kg bw/day)
 Systemic effects Short term Workers inhalation = 2,5 (mg/m³)
 Local effects Short term Workers inhalation = 2,5 (mg/m³)

8.2. Exposure controls

Appropriate engineering controls:
 Professional use:
 Not established
 Individual protection measures:
 (a) Eye / face protection
 Not needed for normal use.
 (b) Skin protection
 (i) Hand protection
 When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)
 (ii) Other
 Wear normal work clothing.
 (c) Respiratory protection
 Not needed for normal use.
 (d) Thermal hazards
 No hazard to report
 Environmental exposure controls:
 Related to contained substances:
 Edetic acid:
 Do not breathe dust. Avoid contact with skin.



SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical and chemical properties | Value | Determination method |
|--|---------------------|----------------------|
| Appearance | Liquid | |
| Odour | undefined | |
| Odour threshold | Irrilevant | |
| pH | 6.30 ± 0.05 a 25 °C | pH METRO |
| Melting point/freezing point | Irrilevant | |
| Initial boiling point and boiling range | > 100 °C | |
| Flash point | non flammable | ASTM D92 |
| Evaporation rate | not applicable | |
| Flammability (solid, gas) | Irrilevant | |
| Upper/lower flammability or explosive limits | Irrilevant | |

| Physical and chemical properties | Value | Determination method |
|--|-----------------------|----------------------|
| Vapour pressure | Irrilevant | |
| Vapour density | Irrilevant | |
| Relative density | 1.200 ± 0.005 a 25 °C | |
| Solubility | in water | |
| Water solubility | Complete | |
| Partition coefficient: n-octanol/water | Irrilevant | |
| Auto-ignition temperature | Irrilevant | |
| Decomposition temperature | Irrilevant | |
| Viscosity | Irrilevant | |
| Explosive properties | not explosive | |
| Oxidising properties | non-oxidizing | |

9.2. Other information

No data available.

SECTION10. Stability and reactivity

10.1. Reactivity

Related to contained substances:
Edetic acid:
Stable under normal conditions

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

It can generate inflammable gases to contact with carbamate, elementary metals, nitrides.
It can generate toxic gases to contact with ditiocarbamate.
It can ignite in contact with oxidants mineral acids, elementary metals, nitrides, strong oxidants agents, strong reducing agents.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = ∞

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: based on available data, the classification criteria are not met.

(b) skin corrosion/irritation: Edetic acid: Contact with eyes: corrosive action on contact with the eyes and can cause severe burns and deep ulcerations that can leave scars.

Edetic acid: Skin contact: may cause slight irritation

(c) serious eye damage/irritation: Edetic acid: The seriousness of the injury depends on the concentration of the product, by time and temperature.

(d) respiratory or skin sensitization: Edetic acid: Sensitization: not reported evidence of this effect..

(e) germ cell mutagenicity: Edetic acid: Mutagenesis: the concentration which can produce mutagenic effects strongly elevated. On the basis of the limited mutagenicity found in animals, the risk of genetic damage on humans is considered insignificant.

(f) carcinogenicity: Edetic acid: Carcinogenicity: not reported evidence of such an effect.

(g) reproductive toxicity: Edetic acid: Reproduction effects: not reported evidence of such an effect.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure: based on available data, the classification criteria are not met.

(j) aspiration hazard: Edetic acid: Inhalation: causes irritation to the respiratory tract.

Health hazards:

Eye contact: accidental contact of the product with the eyes may cause irritation.

Contact with skin: the product is an irritant. Repeated or prolonged contact can dehydrate and irritate the skin and cause dermatitis in some cases.

Ingestion: ingestion can cause irritation of the mucous membranes of the throat and digestive system resulting in abnormal digestive symptoms and intestinal disorders.

Inhalation: prolonged exposure to vapours or mists of product may cause irritation to respiratory tract.

Related to contained substances:

Edetic acid:

Routes of entry: inhalation, ingestion, contact.

Ingestion: causes irritation to the mouth, throat, stomach and gastrointestinal problems.

LD50 (rat) Oral (mg/kg body weight) = 4500

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 3000

SECTION 12. Ecological information**12.1. Toxicity**

Related to contained substances:

Edetic acid:

Toxicity to fish (LC50): > 100 mg/l

Toxicity to Daphnia (EC50): > 100 mg/l

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

Related to contained substances:

Edetic acid:

Not readily biodegradable.

12.3. Bioaccumulative potential

Related to contained substances:

Edetic acid:

Bioconcentration factor: ca. 1.8 (28 d), *Lepomis macrochirus*

The modest accumulation in organisms. The product was tested. The signs are derived by substances/products of similar composition or structure.

12.4. Mobility in soil

Related to contained substances:

Edetic acid:

The substance will evaporate into the atmosphere from the surface of the water.

Unpredictable absorption to the soil solid phase.

12.5. Results of PBT and vPvB assessment

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Operate according to local or national regulations

SECTION 14. Transport information**14.1. UN number**

Not included in the scope of application regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

14.5. Environmental hazards

None

14.6. Special precautions for user

No data available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

It is not intended to carry bulk

SECTION15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Legislative Decree. 02/03/1997 n. 52 (Classification, packaging and labeling of dangerous substances). Legislative Decree 14/03/2003 n. 65 (Classification, packaging and labeling of dangerous substances). Legislative Decree. 02/02/2002 n. 25 (Risks related to chemical agents at work). D.M. 26/02/2004 Work (Exposure Limits Professional); D.M. 03/04/2007 (Implementation of Directive n. 2006/8 / EC). Regulation (EC) No. 1907/2006 (REACH), Regulation (EC) No. 1272/2008 (CLP), Regulation (EC) 790 / 2009.D.Lgs. September 21, 2005 n. 238 (Seveso Ter).

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION16. Other information**16.1. Other information**

Description of the hazard statements exposed to point 3

H319 = Causes serious eye irritation.

H332 = Harmful if inhaled.

H373 = May cause damage to organs through prolonged or repeated exposure

Classification based on data of all mixture components

Main normative references:

Directive 1999/45/EC

Directive 2001/60/EC

Regulation 1272/2008/EC

Regulation 2010/453/EC

Regolamento 529/2012 and subsequent updates

This data sheet cancels and replaces any previous edition.
