

Safety Data Sheet

Revision Date: 07/31/2014
Z17000000763/Version: 4.2
Print Date: 05/27/2015
Page: 1/11

Kodak alaris

1. Identification of the substance/mixture and of the company/undertaking

Product name: KODAK Rapid Selenium Toner

Product code: 1464486

Synonyms: PCD 2667

Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: Toner. For industrial use only.

Supplier: Kodak Alaris Inc., 2400 Mount Read Boulevard, Rochester, NY 14615

IN EMERGENCY, telephone: 1-800-424-9300 or +1 703-527-3887.

For further information about this product, email EHS-Questions@Kodakalaris.com.

2. Hazards identification

Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200:

Hazard class	Hazard category	Route of exposure
Acute toxicity	Category 4	Oral
Skin sensitisation	Category 1	--
Specific target organ toxicity - repeated exposure	Category 2	--

GHS-Labeling

Contains:

Ammonium thiosulphate (7783-18-8), Sodium sulphite (7757-83-7), Selenious acid, disodium salt (10102-18-8)

Symbol(s):



Signal word: Warning

Safety Data Sheet

Revision Date: 07/31/2014
Z17000000763/Version: 4.2
Print Date: 05/27/2015
Page: 2/11

Hazard statements: May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure. (Central nervous system, Kidney, Liver.)

Precautionary statements:

Prevention: Wear protective gloves. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace.

Response: Get medical advice/ attention if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. Wash contaminated clothing before reuse.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

Other hazards which do not result in classification:

Dried product residue can act as a reducing agent.

HMIS III Hazard Ratings: Health - 2, Flammability - 1, Physical Hazard - 0

NFPA Hazard Ratings: Health - 3, Flammability - 1, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight percent	Components - (CAS-No.)
25 - 30	Ammonium thiosulphate (7783-18-8)
10 - 15	Sodium sulphite (7757-83-7)
1 - 5	Selenious acid, disodium salt (10102-18-8)

4. First aid measures

Inhalation: If inhaled, remove to fresh air. Get medical attention.

Safety Data Sheet

Revision Date: 07/31/2014
Z17000000763/Version: 4.2
Print Date: 05/27/2015
Page: 3/11

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention. If easy to do, remove contact lens, if worn.

Skin: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes.

Ingestion: If swallowed, DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

Most important symptoms and effects, both acute and delayed: No information available.

Indication of any immediate medical attention and special treatment needed:

Treatment: No information available.

5. Firefighting measures

Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Flush with plenty of water.

Special hazards arising from the substance or mixture

Hazardous Combustion Products: Carbon oxides, Sulphur oxides, Nitrogen oxides (NO_x), (see also Hazardous Decomposition Products sections.)

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Unusual Fire and Explosion Hazards: Dried product residue can act as a reducing agent. Reacts violently with oxidizing materials. May cause spontaneous heating and ignition when absorbed on combustible, porous material (e.g. rags, paper, sawdust, cotton, clothing).

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Refer to protective measures listed in sections 7 and 8.

Methods and materials for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

Environmental precautions: Flush with plenty of water.

For Large Spills: Flush with plenty of water.

Safety Data Sheet

Revision Date: 07/31/2014
Z17000000763/Version: 4.2
Print Date: 05/27/2015
Page: 4/11

7. Handling and storage

Precautions for safe handling

Personal precautions: Do not breathe mist or vapour at concentrations greater than the exposure limits. Use only with adequate ventilation. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials, highly oxygenated or halogenated solvents, organic compounds containing reducible functional groups. Remove and wash contaminated clothing promptly.

Conditions for safe storage, including any incompatibilities: Store in original container. Keep container tightly closed to prevent the loss of water. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

Chemical Name	Regulatory List	Value Type	Value
Selenious acid, disodium salt	ACGIH	time weighted average	0.2 mg/m3
			<i>Expressed as Se</i>
Selenious acid, disodium salt	OSHA	time weighted average	0.2 mg/m3
			<i>Expressed as Se</i>

Appropriate engineering controls: Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Controls should be sufficient so that applicable occupational exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: Wear impervious gloves and protective clothing appropriate for the risk of exposure.

Respiratory protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: full-face positive-pressure air-supplied. A respirator should be worn if hazardous decomposition products are likely to be or have been released. Respirator type: acid gas See Stability and Reactivity Section. If

Safety Data Sheet

Revision Date: 07/31/2014
Z17000000763/Version: 4.2
Print Date: 05/27/2015
Page: 5/11

respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

9. Physical and chemical properties

Physical form: liquid

Colour: colourless

Odour: characteristic, mild

Specific gravity: 1.32

Vapour pressure: 24 mbar (18.0 mm Hg)

Vapour density: 0.6

Boiling point/boiling range: > 100.0 °C (> 212.0 °F)

Water solubility: complete

pH: 9

Flash point: does not flash

Evaporation rate: No data available

Flammability (Solid; gas): No data available

Upper explosion limit: No data available

Lower explosion limit: No data available

Partition coefficient: n-octanol/water: No data available

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available

Oxidizing properties: No data available

Safety Data Sheet

Revision Date: 07/31/2014
Z17000000763/Version: 4.2
Print Date: 05/27/2015
Page: 6/11

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: No data available

Incompatible materials: Acids, Strong bases, sodium hypochlorite (bleach), Halogenated compounds, Oxidizing agents. Contact with sodium hypochlorite (bleach) may form chloramine (toxic gas). Contact with base liberates flammable material. Contact with base liberates ammonia. Contact with strong acids liberates sulphur dioxide.

Hazardous decomposition products: Sulphur oxides, Ammonia, chloramine

11. Toxicological information

Effects of Exposure

General advice:

Contains: Selenious acid, disodium salt. The toxicological properties of this material have not been fully investigated and its handling and use may present additional hazards. Overexposure to selenium compounds may cause liver and kidney damage, neurological effects, fatigue, irritability, hair loss, skin lesions, nausea and vomiting, garlic odor of breath and sweat, and metallic taste.

Inhalation: Expected to be a low hazard for recommended handling. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

Eyes: No specific hazard known. May cause transient irritation.

Skin: May cause an allergic skin reaction.

Ingestion: Harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Acute Toxicity Data:

Oral LD50 (rat): 400 - 800 mg/kg

- Oral LD50 (mouse): 1,600 - 3,200 mg/kg

Safety Data Sheet

Revision Date: 07/31/2014
Z17000000763/Version: 4.2
Print Date: 05/27/2015
Page: 7/11

- Dermal LD50 (guinea pig): > 5 mL/kg (highest dose tested)
- Skin irritation: slight

Carcinogenicity

American Conference of Governmental Industrial Hygienists (ACGIH):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50):	> 100 mg/l
Toxicity to daphnia (EC50):	10 - 100 mg/l

Persistence and degradability: Readily biodegradable.

Bioaccumulative potential

No data available

Safety Data Sheet

Revision Date: 07/31/2014
Z17000000763/Version: 4.2
Print Date: 05/27/2015
Page: 8/11

Mobility in soil

No information available.

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List	Notification status
TSCA	All listed
DSL	All listed
NDSL	None listed
EINECS	All listed
ELINCS	None listed
NLP	None listed
AICS	All listed
IECS	All listed
ENCS	All listed
ECI	All listed
NZIoC	All listed
PICCS	All listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

Safety Data Sheet

Revision Date: 07/31/2014
Z17000000763/Version: 4.2
Print Date: 05/27/2015
Page: 9/11

U.S. - CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	Selenious acid, disodium salt
U.S. - CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	Selenious acid, disodium salt
U.S. - CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	Ammonium thiosulphate , Selenious acid, disodium salt
U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances:	Selenious acid, disodium salt
U.S. - California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated Carcinogens List.
U.S. - California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
U.S. - California - 8 CCR Section 5209 Carcinogens:	No components found on the California Section 5209 Carcinogens List.
U.S. - Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):	Ammonium thiosulphate , Selenious acid, disodium salt
U.S. - Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):	Selenious acid, disodium salt
U.S. - New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):	Selenious acid, disodium salt
U.S. - Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapter 323 Hazardous Substance List, Appendix A):	Water , Ammonium thiosulphate , Sodium sulphite , Selenious acid, disodium salt

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

KODAK Rapid Selenium Toner

Contains:

Ammonium thiosulphate (7783-18-8), Sodium sulphite (7757-83-7), Selenious acid, disodium salt (10102-18-8)

Safety Data Sheet

Revision Date: 07/31/2014
Z17000000763/Version: 4.2
Print Date: 05/27/2015
Page: 10/11

Symbol(s):



Signal word: Warning

Hazard statements: May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure. (Central nervous system, Kidney, Liver.)

Precautionary statements:

Prevention: Wear protective gloves. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace.

Response: Get medical advice/ attention if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. Wash contaminated clothing before reuse.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

FIRST AID: If inhaled, remove to fresh air. Get medical attention. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention. If easy to do, remove contact lens, if worn. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes. If swallowed, DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. **IN CASE OF FIRE:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Flush with plenty of water. **IN CASE OF SPILL:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. For Large Spills: Flush with plenty of water. Additional Components Include: Water (7732-18-5) .

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and

Safety Data Sheet

Revision Date: 07/31/2014
Z17000000763/Version: 4.2
Print Date: 05/27/2015
Page: 11/11

disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-2, S-2, F-1, C-1