

**SECTION1. Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product code : ECN ECP FINAL RINSE  
Trades code : ECNP FINAL RINSE

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Photographic Process

Sectors of use:

Professional use[SU22]

Product category:

Photochemicals

Process categories:

Mixing or blending in batch processes for formulation of preparations\* and articles (multistage and/or significant contact)[PROC5]

Uses advised against

Do not use for purposes other than those listed

**1.3. Details of the supplier of the safety data sheet**

BELLINI FOTO S.r.l.  
VIA FERRIERA, 68 - 06089 - TORGIANO - PERUGIA  
ITALY  
Tel +39 075 985 174 Fax +39 075 985 288

E-mail: info@bellinifoto.it - Web: www.bellinifoto.it  
E-mail technical assistance: enrico.pompili@bellinifoto.it

Produced by  
BELLINI FOTO S.r.L.  
Via Ferriera, 68 06089 TORGIANO - PG - ITALY Tel. +39 075 985174

**1.4. Emergency telephone number**

Bellini Foto S.r.l. (PG) - Tel . +39 075 985 174

**SECTION2. Hazards identification****2.1. Classification of the substance or mixture**

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

None

Hazard Class and Category Code(s):

Nonhazardous

Hazard statement Code(s):

Nonhazardous

**2.2. Label elements**

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

None

Hazard statement Code(s):

Nonhazardous

Supplemental Hazard statement Code(s):

EUH210 - Safety data sheet available on request.

Precautionary statements:

None in particular.

### 2.3. Other hazards

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII  
No information on other hazards

## SECTION3. Composition/information on ingredients

### 3.1 Substances

Irrilevant

### 3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACH
diethylene glycol	> 1 <= 5%	Acute Tox. 4, H302; STOT RE 2, H373	603-140-00-6	111-46-6	203-872-2	01-2119457 857-21

## SECTION4. First aid measures

### 4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area.  
If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Wash thoroughly with soap and running water.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water for at least 10 minutes.

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION5. Firefighting measures

### 5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

### 5.2. Special hazards arising from the substance or mixture

No data available.

### **5.3. Advice for firefighters**

Use protection for the breathing apparatus  
Safety helmet and full protective suit.  
The spray water can be used to protect the people involved in the extinction  
You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)  
Keep containers cool with water spray

## **SECTION6. Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

6.1.1 For non-emergency personnel:  
Leave the area surrounding the spill or release. Do not smoke  
Wear gloves and protective clothing  
6.1.2 For emergency responders:  
Eliminate all unguarded flames and possible sources of ignition. No smoking.  
Provision of sufficient ventilation.  
Evacuate the danger area and, in case, consult an expert.

### **6.2. Environmental precautions**

Contain spill with earth or sand.  
If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.  
Discharge the remains in compliance with the regulations

### **6.3. Methods and material for containment and cleaning up**

6.3.1 For containment:  
Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.  
Prevent it from entering the sewer system.  
6.3.2 For cleaning up:  
After wiping up, wash with water the area and materials involved  
6.3.3 Other information:  
None in particular.

### **6.4. Reference to other sections**

Refer to paragraphs 8 and 13 for more information

## **SECTION7. Handling and storage**

### **7.1. Precautions for safe handling**

Avoid contact and inhalation of vapors  
At work do not eat or drink.  
See also paragraph 8 below.

### **7.2. Conditions for safe storage, including any incompatibilities**

Keep in original container closed tightly. Do not store in open or unlabeled containers.  
Keep containers upright and safe by avoiding the possibility of falls or collisions.  
Store in a cool place, away from sources of heat and `direct exposure of sunlight.

### **7.3. Specific end use(s)**

Professional use:  
Photographic and cinematographic treatment

## SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

- Substance: diethylene glycol

DNEL

Systemic effects Long term Workers inhalation = 22,11 (mg/m<sup>3</sup>)

Systemic effects Long term Workers dermal = 1,37 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 12 (mg/m<sup>3</sup>)

Systemic effects Long term Consumers dermal = 21 (mg/kg bw/day)

Systemic effects Short term Workers inhalation = 60 (mg/m<sup>3</sup>)

Local effects Long term Workers inhalation = 22,11

Local effects Long term Consumers oral = 12 (mg/kg bw/day)

Local effects Long term Consumers inhalation = 12 (mg/m<sup>3</sup>)

PNEC

Sweet water = 3,17 (mg/l)

sediment Sweet water = 1,2 (mg/kg/sediment)

Sea water = 0,317 (mg/l)

sediment Sea water = 1,2 (mg/kg/sediment)

intermittent emissions = 10 (mg/l)

STP = 31,7 (mg/l)

ground = 0,129 (mg/kg ground)

### 8.2. Exposure controls

Appropriate engineering controls:

Professional use:

Not established

Individual protection measures:

(a) Eye / face protection

Not needed for normal use.

(b) Skin protection

(i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

Wear normal work clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.



## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	Liquid	
Odour	undefined	
Odour threshold	Irrilevant	
pH	6.50 ± 0.05 a 25 °C	pH METRO

Physical and chemical properties	Value	Determination method
Melting point/freezing point	Irrilevant	
Initial boiling point and boiling range	non-oxidizing	
Flash point	non flammable	ASTM D92
Evaporation rate	Irrilevant	
Flammability (solid, gas)	non flammable	
Upper/lower flammability or explosive limits	Irrilevant	
Vapour pressure	Irrilevant	
Vapour density	Irrilevant	
Relative density	1.005 ± 0.05 a 25 °C	
Solubility	in water	
Water solubility	Complete	
Partition coefficient: n-octanol/water	Irrilevant	
Auto-ignition temperature	Irrilevant	
Decomposition temperature	Irrilevant	
Viscosity	Irrilevant	
Explosive properties	not explosive	
Oxidising properties	non-oxidizing	

## 9.2. Other information

No data available.

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

Related to contained substances:  
diethylene glycol:  
No dangerous reaction if stored and used properly.

### 10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

### 10.3. Possibility of hazardous reactions

There are no hazardous reactions

### 10.4. Conditions to avoid

Nothing to report

### 10.5. Incompatible materials

It can generate inflammable gases to contact with elementary metals, nitrides, inorganic sulfide, strong reducing agents.  
It can generate toxic gases to contact with inorganic sulfide, strong reducing agents.

**10.6. Hazardous decomposition products**

Does not decompose when used for intended uses.

**SECTION 11. Toxicological information****11.1. Information on toxicological effects**

ATE(mix) oral = ∞

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

- (a) acute toxicity: based on available data, the classification criteria are not met.
- (b) skin corrosion/irritation based on available data, the classification criteria are not met.
- (c) serious eye damage/irritation: based on available data, the classification criteria are not met.
- (d) respiratory or skin sensitization: based on available data, the classification criteria are not met.
- (e) germ cell mutagenicity: based on available data, the classification criteria are not met.
- (f) carcinogenicity: based on available data, the classification criteria are not met.
- (g) reproductive toxicity: based on available data, the classification criteria are not met.
- (h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.
- (i) specific target organ toxicity (STOT) repeated exposure based on available data, the classification criteria are not met.
- (j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances:

diethylene glycol:

Harmful if ingested, it causes nausea, vomiting, gastrointestinal disorders. The product may have harmful effects on human health.

LD50 (rat) Oral (mg/kg body weight) = 19600

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 13300

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 4,6

**SECTION 12. Ecological information****12.1. Toxicity**

Related to contained substances:

diethylene glycol:

Alga Scenedesmus quadricauda value = 2700 mg/l. Daphnia Daphnia magna test value = 84000 mg/l. test: 48 h

Acinetobacter bacteria value = 8000 mg/l. test: 4:0 pm

Fish Gambusia affinis > 32000 Value mg/l. test: 96 h

Use according to good working practices to avoid pollution into the environment.

**12.2. Persistence and degradability**

Related to contained substances:

diethylene glycol:

Readily biodegradable.

**12.3. Bioaccumulative potential**

Related to contained substances:

diethylene glycol:

Not bioaccumulative.

**12.4. Mobility in soil**

Related to contained substances:

diethylene glycol:

Specific information is not available on this product.

**12.5. Results of PBT and vPvB assessment**

No PBT/vPvB ingredient is present

**12.6. Other adverse effects**

No adverse effects

**SECTION 13. Disposal considerations****13.1. Waste treatment methods**

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Operate according to local or national regulations

**SECTION 14. Transport information****14.1. UN number**

Not included in the scope of application regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

**14.2. UN proper shipping name**

None

**14.3. Transport hazard class(es)**

None

**14.4. Packing group**

None

**14.5. Environmental hazards**

None

**14.6. Special precautions for user**

No data available.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

It is not intended to carry bulk

**SECTION 15. Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Legislative Decree. 02/03/1997 n. 52 (Classification, packaging and labeling of dangerous substances). Legislative Decree 14/03/2003 n. 65 (Classification, packaging and labeling of dangerous substances). Legislative Decree.

---

02/02/2002 n. 25 (Risks related to chemical agents at work). D.M. 26/02/2004 Work (Exposure Limits Professional); D.M. 03/04/2007 (Implementation of Directive n. 2006/8 / EC). Regulation (EC) No. 1907/2006 (REACH), Regulation (EC) No. 1272/2008 (CLP), Regulation (EC) 790 / 2009.D.Lgs. September 21, 2005 n. 238 (Seveso Ter).

**15.2. Chemical safety assessment**

No chemical safety assessment was carried out by the supplier

**SECTION 16. Other information****16.1. Other information**

Points modified compared to previous release: 1.2. Relevant identified uses of the substance or mixture and uses advised against, 2.2. Label elements, 2.3. Other hazards, 8.1. Control parameters, 10.5. Incompatible materials, 11.1. Information on toxicological effects, 12.5. Results of PBT and vPvB assessment, 13.1. Waste treatment methods

Description of the hazard statements exposed to point 3

H302 = Harmful if swallowed.

H373 = May cause damage to organs through prolonged or repeated exposure

Classification based on data of all mixture components

Main normative references:

Directive 1999/45/EC

Directive 2001/60/EC

Regulation 1272/2008/EC

Regulation 2010/453/EC

Regolamento 529/2012 and subsequent updates

This data sheet cancels and replaces any previous edition.

---